

Order Processing



Revision Date

February 17, 2016

CT version 1.9.6.41



This guide provides an overview to germplasm order processing in GRIN-Global (GG). It explains the steps involved when a germplasm requester (“requester”) using the GG Public Website requests accessions and the institution processes the incoming order. The genebank’s processor (“order fulfillment person”) uses the Curator Tool and typically the CT’s Order Wizard to manage the incoming order.

The [Appendix](#) contains this document’s [revision notes](#). To review the Curator Tool’s version changes, please refer to the online [Curator Tool User Guide](#).

Review the [Table of Contents](#) which contains links to the document’s sections

Comments/Suggestions:

Please contact feedback@ars-grin.gov with any suggestions or questions related to this document. This and other GRIN-Global –related documentation can be downloaded from the GRIN-Global [Training page](#).

Table of Contents

Orders Overview	3
Relationship of “Standard” Orders to Public Website Orders	3
PW Order Processing	4
<i>Web</i> Cooperators and <i>GG</i> Cooperators in the Curator Tool.....	5
Order Request and Order Request Items Records.....	5
Order Dataviews	6
NPGS Specifics - High-level Differences Between GRIN Classic and GRIN-Global	6
Germplasm Requester (using the Public Website)	7
Order Wizard	8
Processing Web Orders	8
Using the Order Wizard to Create a New Order	13
Actions (Order Actions).....	20
Save	22
Item Status Codes	22
Finding Existing Orders with the Order Wizard	23
Finding Order Records Using the Search Tool	28
Deleting Order Records and Order Items in the Wizard.....	29
Attachments.....	30
Splitting an Order	33
How to Split an Order	33
Reports	36
Appendix: Document Revision Notes	37
– February 17, 2016	37
– June 9, 2015	37
– May 28, 2015.....	37
– March 13, 2015	37

Orders Overview

Genebank clients may send request for germplasm (“request orders”) through various means:

- GRIN-Global public website (PW)
- email
- faxes
- telephone

Each organization will determine their valid methods for accepting orders. This document describes how orders can be processed in GRIN-Global, with the emphasis is on receiving orders via the Public Website. Typically, germplasm requesters will search an organization’s GRIN-Global PW for accessions and then add them to their shopping carts – eventually submitting their carts for order processing.

The “shopping cart” feature is modeled after other websites – the user can continue “shopping” and add items (in this case accessions) into the cart. Assuming the user is logged in, she can also add items to a “wish list” and check on her order history.

Relationship of “Standard” Orders to Public Website Orders

Because the Curator Tool and the Public Website are independent programs – you do not need one to run the other – the order requests entered into the Public Website by researchers and other public requesters are not stored *directly* in the GRIN-Global standard order tables. Instead, incoming Public Website orders must be converted into GRIN-Global “standard” orders.


<table border="1"> <thead> <tr> <th colspan="2">order_request</th> </tr> </thead> <tbody> <tr><td>order_request_id</td><td></td></tr> <tr><td>original_order_request_id</td><td></td></tr> <tr><td>web_order_request_id</td><td></td></tr> <tr><td>local_number</td><td></td></tr> <tr><td>order_type_code</td><td></td></tr> <tr><td>ordered_date</td><td></td></tr> <tr><td>intended_use_code</td><td></td></tr> <tr><td>intended_use_note</td><td></td></tr> <tr><td>completed_date</td><td></td></tr> <tr><td>requestor_cooperator_id</td><td></td></tr> <tr><td>ship_to_cooperator_id</td><td></td></tr> <tr><td>final_recipient_cooperator_id</td><td></td></tr> <tr><td>order_obtained_via</td><td></td></tr> <tr><td>feedback_id</td><td></td></tr> <tr><td>special_instruction</td><td></td></tr> <tr><td>note</td><td></td></tr> <tr><td>created_date</td><td></td></tr> <tr><td>created_by</td><td></td></tr> <tr><td>modified_date</td><td></td></tr> <tr><td>modified_by</td><td></td></tr> <tr><td>owned_date</td><td></td></tr> <tr><td>owned_by</td><td></td></tr> </tbody> </table>	order_request		order_request_id		original_order_request_id		web_order_request_id		local_number		order_type_code		ordered_date		intended_use_code		intended_use_note		completed_date		requestor_cooperator_id		ship_to_cooperator_id		final_recipient_cooperator_id		order_obtained_via		feedback_id		special_instruction		note		created_date		created_by		modified_date		modified_by		owned_date		owned_by		<table border="1"> <thead> <tr> <th colspan="2">web_order_request</th> </tr> </thead> <tbody> <tr><td>web_order_request_id</td><td></td></tr> <tr><td>web_cooperator_id</td><td></td></tr> <tr><td>ordered_date</td><td></td></tr> <tr><td>intended_use_code</td><td></td></tr> <tr><td>intended_use_note</td><td></td></tr> <tr><td>status_code</td><td></td></tr> <tr><td>note</td><td></td></tr> <tr><td>special_instruction</td><td></td></tr> <tr><td>created_date</td><td></td></tr> <tr><td>created_by</td><td></td></tr> <tr><td>modified_date</td><td></td></tr> <tr><td>modified_by</td><td></td></tr> <tr><td>owned_date</td><td></td></tr> <tr><td>owned_by</td><td></td></tr> </tbody> </table>	web_order_request		web_order_request_id		web_cooperator_id		ordered_date		intended_use_code		intended_use_note		status_code		note		special_instruction		created_date		created_by		modified_date		modified_by		owned_date		owned_by		<p>Shown here are the table structures for the two order types. Notice that the order_request contains the web_order_request_id field so that it can link to a web_order_request. (Conversely, the web_order_request does not contain a key to the order_request. If a germplasm requester refers to an order number, she would be referring to her web_order_number.)</p>
order_request																																																																														
order_request_id																																																																														
original_order_request_id																																																																														
web_order_request_id																																																																														
local_number																																																																														
order_type_code																																																																														
ordered_date																																																																														
intended_use_code																																																																														
intended_use_note																																																																														
completed_date																																																																														
requestor_cooperator_id																																																																														
ship_to_cooperator_id																																																																														
final_recipient_cooperator_id																																																																														
order_obtained_via																																																																														
feedback_id																																																																														
special_instruction																																																																														
note																																																																														
created_date																																																																														
created_by																																																																														
modified_date																																																																														
modified_by																																																																														
owned_date																																																																														
owned_by																																																																														
web_order_request																																																																														
web_order_request_id																																																																														
web_cooperator_id																																																																														
ordered_date																																																																														
intended_use_code																																																																														
intended_use_note																																																																														
status_code																																																																														
note																																																																														
special_instruction																																																																														
created_date																																																																														
created_by																																																																														
modified_date																																																																														
modified_by																																																																														
owned_date																																																																														
owned_by																																																																														
		<p>Accessions > Descriptors > Taxonomy > View Cart Home Page > My Profile > My Order History You have submitted 25 germplasm order(s). <hr/> order placed on: January 26, 2016 view detail Order Request Number 5371</p>																																																																												
		<p>Genebank personnel will typically use the Curator Tool to input orders directly into GG in the order_request table. But they too can use the PW to input orders – it is a matter of preference and workflow which method a site may ultimately choose.</p>																																																																												

PW Order Processing

In GG, the germplasm requesters generally submit their orders via the GG Public Website. (Some organizations may also accept orders via the telephone or email.) Using the Curator Tool’s Order Wizard, genbank personnel responsible for order fulfillment can review those incoming *web* orders and convert them into *standard* GRIN-Global orders.

During the order processing, genbank personnel will use the Curator Tool Order Wizard to manage and monitor the status of the order. (There are several order-related dataviews that can also be used in the Curator Tool, but the Order Wizard with its comprehensive windows uses business rules and greatly facilitates the order process.)

Public Web Orders to Orders Conversion (Diagram)



During this order process, the Web Order Request record becomes the basis for a GRIN-Global Order record. The Web Order Request record’s ID is its primary key field; the GG Order Request record created from it will have its own unique record ID. Although the records are inter-related, the two record IDs (and the records) are distinct.

Web Cooperators and GG Cooperators in the Curator Tool

Generally, the public website user creates his or her own web cooperator record. Note that two types of cooperator records exist in GRIN-Global: *web* cooperator records and *standard* (used within the CT). These two cooperator record types are stored in two different GG tables.

Using the Order Wizard, when processing an incoming request, a genebank employee can easily create a *standard* cooperator record from a *web* cooperator record or relate an existing *standard* cooperator record to a *web* cooperator record.



To differentiate the two kinds of cooperator records throughout this document, we will specifically state “web” when referring to a web cooperator record. References to the standard GRIN-Global cooperator records will omit any prefix or may state “... standard cooperator record.”

Order Request and Order Request Items Records

A germplasm order request has two main sections: the *order request*, which some refer to as the “order header,” and the *order request items* section, which lists the details of the items being requested:

Order Request										
Order Request	Ordered Date	Web Order Request Id	Local Number	Owner Site ID	Items	Order Type	Final Recipient	Intended Use	Special Instructions	Intended Use Note
7	3/8/2011 ...	3	2011-0308-1	SYS (n/a)	5	Distribution	Reisinger, Mar...	Education	hury w/ the order	Public educator

Order Request Items									
Order Item ID	Order Request	Item Number	Accession	Inventory	Species	Quantity On Hand	Quantity On Hand Units	Quantity Shipped	
14	7 - Reisinger, Martin, DBMA	1	PI 503262	PI 503262 88nca01 SD	Helianthus tuberosus	7038	count	100	
15	7 - Reisinger, Martin, DBMA	2	PI 503279	PI 503279 99ncaim1 TU	Helianthus tuberosus	0	count	5	
16	7 - Reisinger, Martin, DBMA	3	PI 503271	PI 503271 95ncaim1 TU	Helianthus tuberosus	0	count	10	
17	7 - Reisinger, Martin, DBMA	4	PI 503266	PI 503266 99ncaim1 TU	Helianthus tuberosus	0	count	5	
18	7 - Reisinger, Martin, DBMA	5	PI 503265	PI 503265 85ncao01 SD	Helianthus tuberosus	0	count	0	

The Order Request includes general information about the order, such as:

- the requester’s contact information
- how the order was obtained
- who the ultimate recipient is

The individual items being requested are just that – the order request items (specific accessions). Each item will be stored as an individual record in the **order request items** table. In the previous example, the order contained 5 items.

Order Dataviews

In the Curator Tool, there are multiple order-related tables and dataviews used to display the order information. Since most order-related work is handled via the Order Wizard, working directly in the dataviews is discouraged. However, listed here for reference are some of the main GRIN-Global order-related dataviews:

Dataview	Description
order_request	Provides general information about the order such as the date and type of order, requester, final recipient, etc.
order_request_item	Lists the specific data about the material used to fill the order such as the Accession and Inventory IDs for the material, the Quantity On Hand, the Quantity Shipped, the form of distribution (seeds, grams, etc.) and the storage location from which the order was filled.
order_request_action	Every time the status of the order is changed, an Order Request Action record is generated. Statuses that are built into GG include Shipped, Cancelled, Partially Shipped, Filled , and so on. (Each organization can determine what ORDER_REQUEST_ACTION codes they need for their organization's order fulfillment process.)
web_order_request_attach	Attachments (.pdf, .docx, jpg, xlsx files, etc.) can be submitted with a web order (before the order is converted to a standard GG order). (Additional programming work needs to be done to allow additional documents be attached after the order is processed in the CT.) Attachments can also be directly dragged and dropped into this dataview in the CT.
web_order_request	Provides general information about web orders such as the date and type of order, requester, final recipient, etc. This web order request is generated by a requester using the GRIN-Global Public Website.
web_order_request_item	Lists the specific data about the web order material (this is the details portion of the web orders coming from the GRIN-Global Public Website)

NPGS Specifics - High-level Differences Between GRIN Classic and GRIN-Global

In GRIN the Data Prep tables were used when adding bulk orders (multiple orders at one time). With GRIN-Global most of the incoming orders will be web orders. Instead of emails, you no longer need to create spreadsheets to be used with Data Prep tables. (There aren't any "Data Prep" tables in GG; instead you can drag data from spreadsheets into GG dataviews.)

In GG you will still receive emails announcing the incoming web orders, but the data will already be in the web order, eliminating the need to copy the order specifics from the email's text.

Manually Creating Orders in the Order Wizard

If you need to manually input multiple orders at one time, you can use the drag and drop method to drop the order header information into the Curator Tool, via the **Get Order Request** dataview. After the orders have been added into GG, you then have two methods to get the order item data into the database.

Method 1: Dragging Order Items into the Order Wizard (recommended)

The first method is to create new orders in the Curator Tool's **Order Request** DV. Then start the Order Wizard.

In the Order Wizard, for each order, drag the order *items* data from the [Search Tool](#), a [spreadsheet](#), or the [Curator Tool](#) into the grid at the bottom of the order wizard. (Follow the links for the details.)



Unlike other CT drag & drop operations, do not include any column headings. The Order Wizard will assume that if three columns are used, the data are accessions (prefix, number, and suffix), whereas when four columns are dragged, the fourth column is the type and thus the records being added are inventory records.

Method 2: Dragging Order Items into the Order Request Items Dataview (alternate method)

In the second method, after you have created the order requests, you could use the Curator Tool's **Get Order Request Item** dataview and drag and drop the order item data into that dataview for the orders. The **Order Number**, the **Accession**, and the **Inventory** are required fields. It is recommended that you also supply unique **Item Numbers** (especially use new Item Numbers if you are adding items to an order).

Germplasm Requester (using the Public Website)

Genebanks or institutions using GRIN-Global to manage their germplasm data will most likely implement the GG Public Website and ensure the PW is publicly available to their germplasm requesters. While it is not absolutely necessary for a requester to register an account on the Public Website, it certainly makes it easier for the user. A user with an account will be able to search his order history, create a "wishlist," and edit his profile, and have multiple shipping addresses which can be selected from for a specific order. Probably any serious user will ultimately create an account.

Detailed information on setting up and modifying a PW user account is contained in the online [Public Website Guide](#) and can also be found in the Public Website Help feature.

Order Wizard


Rather than use the order-related dataviews, most Curator Tool users will find the Order Wizard to be more satisfactory for reviewing and managing order requests.

Processing Web Orders

Many, if not most of an organization’s orders, will be generated from the GRIN-Global Public Website. Use the Order Wizard to convert these web orders into GG order requests.

Start the Order Wizard


Although not absolutely necessary, before invoking the **Order Wizard**, in the Curator Tool, decide what list folder in the left panel will be your active list. Then, as you create and save new orders, you will be prompted to add corresponding orders to your active list. Another consideration not essential (but recommended), before clicking the Order Wizard button, open the **Order Request** dataview as the active dataview. In the following example, the user’s active folder is labeled “Friday’s Orders”:



A user can organize his incoming orders by the day, week, month, or some other criterion, such as by genus or species. Alternatively, the folders may be set up for new orders, pending orders, completed orders, etc.



Start 1

Start the Wizard by clicking the **Order Wizard** button:



Step 2

Click the **Web Orders** tab; select the appropriate radio button: (**Selection**, **My Web Orders**, **My Site's Web Orders**, or **All Sites' Web Orders**); for processing new orders the **New Order** checkbox should be checked. Since the incoming web order generated an email message, the Selection radio button could be selected and then the Web Order number inputted into the **Web Find** box.




In the example above, there are three new web orders. (The Navigation Bar indicates "3 of 3.") The person using the Order Wizard can review each web order using the Navigation bar to move among the records. (The orders do not need to be processed in any specific sequence.)

Step 3


Click the **Create New Order Request** button (**4, above**) to initiate a new GRIN-Global order request. If the incoming web order did not have a valid cooperator associated with it, you will be prompted to create a new cooperator:

Order Wizard



If the **Create New Cooperator** button is clicked when processing the web order, you will have an opportunity to generate a standard cooperator from the user's web cooperator information.

(However, the lookup tables may need to be updated):



In this example, the genbank worker (order processor) clicked "Yes" to respond to the question "Would you like to create a cooperator now?" and then typed in the string "reisin" – the cooperators whose

Order Wizard

surname began with that character string were listed:

The screenshot shows the Order Wizard application with a 'Lookup Picker v1.8.7.0' dialog box open. The dialog box has a search filter set to 'reisin' and displays a list of search results. The first result is highlighted: 'Reisinger, Joe, Davis Enterprises, 198 S. Cochran's Green Circle, The Woodlands, Texas, United States'. Other results include 'Reisinger, Martin, DBMU, 207M, Bville, Maryland, United States', 'Reisinger, Martin, usda, 207 m. lv, Maryland, United States', and 'Reisinger, Martin, USDA, ARS, Natl. Germplasm Resources Laboratory, Beltsville, Maryland, United States'. A checkbox labeled 'is_current_address' is checked. The dialog box also includes a 'Refresh List' button and 'OK' and 'Cancel' buttons.

Order Request ID	Order Number	Item Number	Accession	Inventory	Requested Name	Name
-1	-1	1	PI 650491	PI 650491 97nca...		


A blank **Final Destination** field is the result of answering **No** to the choice when prompted to create a new cooperator:

The screenshot shows the Order Wizard application with the 'Final Destination' field highlighted in red. The field is currently blank. The application title is 'Order Wizard v2.0.4078.30082'. The 'Order Filters' section shows 'Selection' selected. The 'Order Status' section has 'Cancel or abort order item', 'Partial shipment', and 'Ship order item' options. The 'Order' section includes fields for 'Order Date', 'Site', 'Order Type', 'Original Order Number', 'Final Destination', 'Local Number', 'Status', 'Status Date', 'Order Obtained Via', 'Ordered by', 'Web Order Request Data', 'Web Order Request Id', 'Cooperator', 'Email Address', 'Phone Number', 'Ship To', and 'Source of Items'. The 'Notes' field is also visible.

Note that **Final Destination** is a required field so it must be supplied to continue. When answering with **Yes**, a new cooperator record is created and the **Final Destination** information is filled in. The **Ordered by** and the **Ship To** fields are also filled in; these can be overridden if necessary with different


Order Wizard

cooperator information:



Editing the Items in the Grid

If desired, the items in the grid may be edited – for example, you may select a different Inventory lot or a different quantity to be distributed. In this example, the person filling the order changed the **Quantity Shipped** and is in the process of selecting a different lot from the Inventory Picker window. (To display the window, double-click in the **Inventory** field in the grid.)



Using the Order Wizard to Create a New Order

The Order Wizard can be used to create new germplasm order requests that come to the genebank via emails, phone calls, or other means. (The wizard can also be used to manage any existing order, including adding additional items, regardless of how the order originated.)



When starting up the Curator Tool, the left tab in the list panel will be active and display the lists under that tab. Consider setting up your folder hierarchy under that left tab so that the lists help with tracking your orders by status or date received or some other criterion. Although not necessary, when working with orders in the Curator Tool, have the folder active in which you intend to use for pointing to orders. Also helpful but not required, in the right grid, you may want to select the **Get Order Request** dataview as your active dataview.




Save frequently, and save often! (when using the Order Wizard). Also, use the **Save** button when initially creating the order; otherwise you will receive an error message.

When an email comes into the site with an order specifying the accessions, these accessions can be dragged from the email into the Order Wizard grid and the Order Wizard will select the relevant inventory (but we are getting ahead of ourselves).


Step 1

Click on the **Order Wizard** button to start the wizard:



Step 2

On the top navigation bar, click the **Add new** (plus sign) button to create a new order:




The wizard automatically fills in the:

- **Ordered Date** (with the current date)
- **Owner Site** (with your site code based on your Curator Tool User ID)
- **Order Type** (with the order type **Distribution**)

Step 3

Complete the **Final Recipient** field – click in the field and type the first few characters. When you click **OK**, the **Requester** and **Ship To** fields fill in automatically with the same cooperator. For orders where the **Ship To** or **Requester** fields need to be different, simply choose a different cooperator for the appropriate field.



Step 4

In the Order Wizard window, input the other fields, such as **Local Number**, **Special Instructions**, as needed.



The **Original Number** field is blank for all new orders. It is used when an order is split. It refers to the order request key field of the original (or "parent") order primary key field number.

Step 5

There are multiple approaches that can be taken to assign inventory to the order. In the following sections, Step 5a through Step 5d, each approach will be described in further detail.

Refer to Step	Approach	Description							
5a	Input an Accession key, an Accession Name, or a Taxon in the Order Wizard's inventory Picker window	Use this approach when you know the desired Accession ID, Name, or Taxon information. The wizard's Inventory Picker will accept any one of these three fields. If there is a match, you then decide and select which inventory to apply to the order.							
5b	Drag either accession records or inventory records from the Search Tool grid	Dragging inventory records rather than accession records will perform somewhat better (when selecting accessions, the software must perform additional processing to select the inventory)							
5c	Drag accession key(s) or inventory key(s) from a spreadsheet, Word doc, or an email	<p>An <i>accession</i> key is comprised of three fields:</p> <table border="0"> <tr> <td>Accession Prefix</td> <td>Accession Number</td> <td>Accession Suffix</td> </tr> </table> <p>The wizard interprets an <i>inventory</i> key based on four fields:</p> <table border="0"> <tr> <td>Inventory Prefix</td> <td>Inventory Number</td> <td>Inventory Suffix</td> <td>Inventory Type</td> </tr> </table>	Accession Prefix	Accession Number	Accession Suffix	Inventory Prefix	Inventory Number	Inventory Suffix	Inventory Type
Accession Prefix	Accession Number	Accession Suffix							
Inventory Prefix	Inventory Number	Inventory Suffix	Inventory Type						
5d	Drag <i>accession</i> or <i>inventory</i> records from the Curator Tool	The wizard will find all the inventory related to the accession and will highlight the inventory that is available and ready for distribution.							



As of version 1.9.5, **Order Request Items** in the Order Wizard grid can be *copied (using Ctrl-C)* into a spreadsheet. At this time, you cannot paste **Order Request Items** into the OW grid.

Step 5a: Input an Accession key, an Accession Name, or a Taxon in the Order Wizard's Inventory Picker window

Use this approach when you know the **Accession Number**, **Accession Name**, or **Taxonomy** information. The wizard will display related inventory. You then decide and select which inventory to apply to the order.

One example when this approach is handy is when you need to change what inventory (lots) are needed – for example, for a regeneration order (most of the lots will not be the distribution lots since you are going back to original seed or a previous parental lot).

First click the **Add New** icon (the Plus Sign) icon; click the **New Row** icon; then paste the **Accession Number**, **Accession Name**, or **Taxonomy** into the respective field in the **Inventory Picker** window. When Inventory Picker window displays, select the desired inventory row from the window; click **OK**:

The screenshot displays the 'Order Wizard v1.9.4.0' application. The main window has a toolbar with a plus sign icon (1) and a 'New Row' button (2). The 'Inventory Picker' dialog box (3) is open, showing the 'Accession Number' field with 'mar' entered. Below the input fields is a table of inventory items:


Inventory Prefix	Inventory Number	Inventory Suffix	Inventory Type	Site	Inventory Maintenance Policy	Is Distributable?	Is
MAR	1204	rei	BD	COR	RUBUS	N	N
Mar	11121301	rei	***	DBMU	SYSTEM	N	N
Mar	11121301	rei	CT	DBMU	MAR	Y	Y
Mar	11121301	rei	TC	DBMU	MAR	Y	Y
Mar	11121301	rei2	SD	DBMU	MAR	Y	Y
mar	11141301	rei	***	DBMU	SYSTEM	N	N

The 'OK' button (5) is highlighted at the bottom right of the dialog box.

Step 5b: Dragging inventory or accession records from the Search Tool grid

Drag from the Search Tool grid, either accession records or inventory records.

You can highlight records (inventory or accession) found in the Search Tool and drag them into the Order Wizard's grid:



Dragging inventory records rather than accession records will perform somewhat better because when selecting accessions, the software must perform additional processing to determine the inventory.

Step 5c: Dragging accession or inventory keys from a spreadsheet

If you have one or more accession or inventory keys, you can drag them from a spreadsheet, Word doc, or an email message into the grid area on the Order Wizard. The Order Wizard is capable of using the three fields of an accession key (accession_prefix, accession_number, and accession_suffix or the four fields of an inventory key (inventory_prefix, inventory_number, inventory_suffix, and inventory_type).

The screenshot shows the Order Wizard v1.9.6.41 interface. At the top, there are navigation buttons and a status bar showing 'Order Number: -1 | Items: 0'. Below this is a section for 'Order Filters' with radio buttons for 'Selection', 'My Orders', 'My Site's Orders', and 'All Sites' Orders'. The main area is divided into two panels. The left panel shows a spreadsheet with columns 'Accession Prefix', 'Accession Number', and 'Accession Suffix'. A row with values 'DPRU', '104', and '375' is selected. A red dotted arrow points from this row to the main grid. The right panel contains various form fields for 'Order Type', 'Original Order', 'Final Recipient', 'Completed Date', 'Order Obtained Via', 'Requestor', 'Intended Use Note', 'Ship To', and 'Note'. Below the forms is a section for 'Web Order Request Data' with fields for 'Web Order Request', 'Web Cooperator', 'Email', and 'Primary Phone'. At the bottom, there are buttons for 'New Row' and 'Re-number Items', followed by a main grid with columns: 'Order Request Item ID', 'Order Number', 'Item Number', 'Accession', 'Inventory', 'Site', and 'Requester Name'. The grid contains two rows of data.

Order Request Item ID	Order Number	Item Number	Accession	Inventory	Site	Requester Name
-1	-1	1	MAR 121401 TY	MAR 121401 TY **	NC7	MAR 1214
-2	-1	2	MR 618023 REI	MR 618023 REI ...	DBMU	MartinAga



Unlike other CT drag & drop operations, *do not include any column headings*. The Order Wizard will assume that if three columns are used, the data are accessions (prefix, number, and suffix), whereas when four columns are dragged, the fourth column is the type and thus the records being added are inventory records.

Step 5d: Dragging accession or inventory records from the Curator Tool

You can select Accession or Inventory records from the CT, and then drag them into the Order Wizard grid. When dragging accession records, the program automatically chooses the best inventory to fill the order request (based on a set of programmed business rules – see the online [Inventory document](#) for complete details) and adds the appropriate inventory to the order.

When coming from the CT, remember to drag the record from the grid, not the item from the list in the left panel. Do not include the column headings; drag only the records (rows).

Order Wizard

In the following example, if the user dragged the accession record to the Order Wizard grid, which inventory would the wizard choose to use, since three of the four inventory records have a status of **Available to send**?

The screenshot shows the Order Wizard interface. On the left is a tree view under 'Orders Root Folder' with sub-folders 'Orders' and 'New Orders'. Under 'New Orders', there are four items: 'mar 73101 rei', 'mar 73101 rei **', 'mar 73101 rei SD', and 'mar 73101 rei0905a SD'. On the right is a grid with columns: Site, Orders, Order Request Item, Accessions, Accession Inventory Name, Inventory, Inventory Action, and Accession Inventory Attach. The grid contains four rows of inventory records.

Inventory ID	Inventory Prefix	Inventory Number	Inventory Suffix	Inventory Type	Accession	Is Distributable?	Is Auto Deducted?	Is Available?	Availability Status
4910623	mar	73101	rei	**	mar 73101 rei	N	N	N	No value specified
4910638	mar	73101	rei	SD	mar 73101 rei	N	N	N	Available to send
4910781	mar	73101	rei0905a	SD	mar 73101 rei	Y	Y	Y	Available to send
4910784	mar	73101	rei0906a	SD	mar 73101 rei	Y	Y	N	Available to send

Answer: **inventory mar 73101 rei0905a SD** -- Why? Of the four inventory records, this is the only inventory record whose fields **Is Distributable?** and **Is Available?** are both set to **"Y."**

Editing Items in the Grid

If desired, the items in the grid may be edited – for example, you may select a different Inventory lot or quantity to be distributed. In this example, the order filler changed the **Quantity Shipped** and is in the process of selecting a different lot from the Inventory Picker window. (To display the window, double-click in the Inventory field in the grid.)

The screenshot shows the Order Wizard interface with an 'Inventory Picker' dialog box open. The dialog box has fields for 'Accession Number' (MR 2015 REI0218A), 'Accession Name', and 'Taxonomy'. It contains a grid with columns: Inventory Prefix, Inventory Number, Inventory Suffix, Inventory Type, Site, Inventory Maintenance Policy, Is Default Inventory?, and Is Av. The grid has three rows, with the third row selected.

Inventory Prefix	Inventory Number	Inventory Suffix	Inventory Type	Site	Inventory Maintenance Policy	Is Default Inventory?	Is Av
MR	201502	REI18A	**	DBMU	SYSTEM	N	N
MR	201502	REI18A	CT	DBMU	MAR	N	N
MR	201502	REI18A	SD	DBMU	MAR	Y	Y

Below the dialog box, the main grid is partially visible. The 'Quantity Shipped' field for the selected item is highlighted in yellow and set to 50.00000.

Item Number	Accession	Inventory	Site	Name	Taxon	Geography	Hand	Hand Units	Status	Quantity Shipped
	MR 2015 REI021...		DBMU		Vitis vinifera subs...	Colombia, Sucre	1950.00000	count	Available	50.00000

Actions (Order Actions)

Step 6: Include Order Actions

Use the Order Wizard **Actions** tab to add any appropriate actions.

Many actions may be applied to an order request; essentially an action indicates that some event related to the order has occurred. For example, a **New Order** action is automatically generated when the web order is converted to a standard order. Similarly, an action of **Order Shipped** is automatically generated when an order is shipped.

Order Actions are used to document the processing and current status of the order. Each organization and the sites within organizations will follow their own unique standard operating procedures in completing workflows – the action records are a means for documenting the steps in the workflow.

Action Code	Title
NEW	New Order
PENDING	Order pending
APHISASKED	Export requirements requested
CURALERTED	Curator alerted about order
CURCLEARED	Curator cleared an order
PATHSEED	Path test needed and sent
PATHPASSED	Pathologist approved the order
ORDFILLED	Order filled ready to ship
APHIS	Order sent to APHIS (Inspection)

An example of an order’s actions from the Order Wizard:

Order Actions Web Orders					
New Action					
	Order Request Action ID	Order Request	Action Name	Started Date	Started D Format
▶	325447	240954 - Dowd, ...	Curator alerted about order	1/14/2013 5:01 PM	Complete
	325444	240954 - Dowd, ...	New Order	1/7/2013 7:34 PM	Complete
	325471	240954 - Dowd, ...	Order filled ready to ship	1/14/2013 2:22 AM	Complete
	325445	240954 - Dowd, ...	Order pending	1/14/2013 3:59 PM	Complete
	325616	240954 - Dowd, ...	Order shipped	1/14/2013 7:51 AM	Complete

Order Wizard

The action codes are stored in the **ORDER_REQUEST_ACTION** code group which is maintained by the GRIN-Global administrator. The following partial screen is from the GG Admin Tool:

Group Name:

Values (29) Referenced By (2 / 1)

Language:

Value	Title	Description	Last Tou
APHIS	Order sent to APHIS		10/5/201
APHISASKED	Export requirements requested		10/5/201
CANCEL	Cancel or abort order		10/5/201
CURALERTED	Curator alerted about order		10/5/201
CURATOR	Order Status		4/30/201
CURCLEARED	Curator cleared an order		10/5/201
CURWAIPROP	Order waiting for IP expiration		10/5/201
CURWAREGEN	Order waiting for regeneration		10/5/201
DONE	Completed in-house order		10/5/201
ESSREQUEST	Endangered Species Statement requirement		10/5/201
FORWARD	Forward order to another site		10/5/201

Since only a GG administrator can add Codes, contact the administrator if additional codes are needed.

Tracking Expenses

If desired, you can assign expenses with an action. The Order Wizard will tabulate the total expense associated with the order's cumulative actions:

Order:

Order Request	Action Name	Started Date	Started Date Format	Action Information	Completed Date	Completed Date Format	Action Cost	Cooperator
240411 - Pollard, ...	Curator alerted about order	1/17/2013 3:26 ...	Complete date		1/17/2013	Complete date		Stebbins, Robert
240411 - Pollard, ...	Curator cleared an order	1/17/2013 12:01...	Complete date		1/17/2013	Complete date		Reitsma, Kathlee
240411 - Pollard, ...	Curator cleared an order	1/17/2013 9:26 ...	Complete date		1/17/2013	Complete date		Millard, Mark J.,
240411 - Pollard, ...	Curator cleared an order	1/17/2013 5:22 ...	Complete date		1/17/2013	Complete date		Brenner, David, I
240411 - Pollard, ...	New Order	12/30/2012 9:07...	Complete date		1/2/2013	Complete date		Stebbins, Robert
240411 - Pollard, ...	Order filled ready to ship	1/18/2013 10:53...	Complete date		1/18/2013	Complete date		Pfiffner, Lisa, US
240411 - Pollard, ...	Order pending	1/2/2013 8:21 AM	Complete date		1/2/2013	Complete date		Stebbins, Robert
240411 - Pollard, ...	Requestor solicited for additional i...	1/2/2013 4:47 AM	Complete date		1/2/2013	Complete date		Stebbins, Robert
240411 - Pollard, ...	Order shipped	1/18/2013 1:39 ...	Complete date		1/18/2013	Complete date		Stebbins, Robert
240411 - Pollard, ...	Order sent to APHIS	1/31/2014	[Null]		1/31/2014	[Null]	75.00	Reisinger, Emma
240411 - Pollard, ...	Order filled ready to ship	1/31/2014	[Null]			[Null]	28.00	


Order:

Ordered Date	Owner Site	Order Type	Original Order	Final Recipient
<input type="text" value="1/2/2013 12:00:00 AM"/>	<input type="text" value="NC7"/>	<input type="text" value="Non-research, non-"/>	<input type="text" value="240411 - Pollard, Tyler,"/>	<input type="text" value="Pollard, Tyler, , 11770 El Camara Drive"/>
Local Number	Completed Date	Order Obtained Via	Requestor	
<input type="text" value="20122214"/>	<input type="text" value="1/18/2013 12:00:00 A"/>	<input type="text" value="PUBLIC"/>	<input type="text" value="Pollard, Tyler, , 11770 El Camara Drive"/>	
Intended Use	Intended Use Note	Ship To		
<input type="text" value="[Null]"/>		<input type="text" value="Pollard, Tyler, , 11770 El Camara Drive"/>		
Total Cost				
<input type="text" value="\$103.00"/>				
Web Order Request Data				Note
Web Order Request	Web Cooperator	Email	Primary Phone	<input type="text" value="NRR letter sent."/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	

Save

Step 7

While working within the Order Wizard, we recommend periodically clicking the **Save** button to save your order. (When you are finished, click on the or **Save and Exit** button.)



Step 8

Drag more inventory or accession records as needed to build the order items.

Item Status Codes

Step 9

In the Order Wizard grid, each item that has been requested for the order is listed. Each item has its own status. (These status codes are stored in the Code Group **ORDER_REQUEST_ITEM_STATUS**. The GG administrator can modify these codes to match the codes to the organization's needs.)

Order Item Status Codes:


Value	Title	Description
CANCEL	Cancel or abort order item	
HOLD	Hold	Hold item (long term)
INSPECT	APHIS	
NEW	New	
PENDING	Pending	
QUALITYTEST	Quality Testing	
SHIPPED	Shipped order item	
SPLIT	Split out order item	

Order Wizard

For all items in the grid, when the status is **NEW** or **PENDING** in the **Item Status** column, clicking on the **Ship All Remaining Items** button will change the status to **SHIPPED**.


Whenever the status is something other than **NEW** or **PENDING**, the **Ship All Remaining Items** button has no effect.

To change the status of one or more items in the grid, right click on the item(s) and then select a status from the **Item Status** menu (or select the **Item Status** cell(s) in the grid and right click):



Finding Existing Orders with the Order Wizard


The Order Wizard can be used to find existing orders for review or additional processing. Start the Order Wizard and input or paste the order number in the text box next to the **Find** button; click **Find**. Multiple order numbers can also be inputted or copied into the box. Other methods for finding specific orders are explained below.



Order Wizard


Radio Buttons: My Orders, My Site's Orders, and All Site's Orders

You can also use the relevant radio button to filter the orders. When any of these buttons are used, the **Find** box is filled with various *Order Item status* checkboxes:



Type and Date Filters

You can filter for a specific order type or date; here the user is selecting a **Type**:




Copying Existing Order Numbers into the Order Wizard

You can search for multiple orders by dropping a list of order numbers into the Find box. In this example, five cells containing order request numbers were copied from Excel.

Order Request ID	Orde
246702	9/5/
246703	9/5/
246707	9/6/
246712	9/6/
246723	9/9/

Observe the navigation bar at the top. Notice that record **1** of **5** is currently displayed. The first number in the Excel list was 246702 – the wizard is displaying the first found record. Using the navigation bar to move through the records will show that five order records were found.

Order Wizard




Finding Web Orders

Beginning with Curator Tool version 1.9.4, the **Web Order** tab has a similar Find functionality as the **Order** tab. The Web Order Find searches the status of the Web Orders; in the Order Find, the search is against the Order Item Statuses data.

Selecting Records before Starting the Order Wizard

The Order Wizard can be launched and used to display order details about selected Order Request records. Typically, before starting the Order Wizard, you may be viewing data in the Accession or Inventory dataviews. In order to see their related orders in the Order Wizard, consider creating a list of orders from the selected accessions or inventory records. In other words, you must have the **Order Request** dataview active to display orders in the Order Wizard.

Step 1: Select specific accession (or inventory records)



Order Wizard


Step 2: Make a List of these Accessions

Site	Orders	Order Request Item	Accessions	Accession Inventory Name	Inventory	Inventory Action	Accession Invento
	Accession ID	Accession Prefix	Accession Number	Accession Suffix	Taxon		Name
	1226720	PI	300259		Prunus domestica		Poegaca
	1563954	PI	131228		Prunus domestica		Prince Englebert
	1563959	PI	126882		Prunus domestica		Laxton's Gage

Order Wizard


Step 3: Open the Order Request dataview

One option in this step is to consider creating a list of the orders. In any case, highlight the orders (build an order list if desired), and then click the Order Wizard button...



Resulting Order Wizard Window (when multiple orders have been selected):

The Order Wizard displays the first order. The remaining orders can be displayed by using the navigation bar to move among the orders.



Finding Order Records Using the Search Tool

Currently the Order Record does not have a Status Code field. However, you can determine if an order is completed by its **Completed Date** field – when the date is filled, the order has been completed.

Order Wizard v1.9.6.41

Order Number: 272245 | Items: 1

Order Filters: Selection My Orders My Site's Orders All Sites' Orders

Find:

Orders | Actions | Attachments | Web Orders

Ordered Date	Owner Site	Order Type	Original Order	Final Recipient
10/13/2015	DBMU	Distribution	272245 - Reisinger, Mart	Reisinger, Martin A., Reisinger Re
Local Number		Completed Date	Order Obtained Via	Requestor
		10/13/2015	Web Order	Reisinger, Martin A., Reisinger Re
Intended Use		Intended Use Note		Ship To
Research		Entomological investigations. Research use notes - need for testing GG		Reisinger, Martin A., Reisinger Re
Total Cost				Note
\$0.00				
Web Order Request Data				
Web Order Request	Web Cooperator	Email	Primary Phone	
4317	Reisinger, Martin, RR	mar@mginc.com	410-666-0100	

A search for orders that have not been completed:

GRIN-Global Search v1.9.6.41

Basic Query

Search Now! Limit: 50

Find: Default accession

Matching: Any Word All Words List of Items

Search Criteria: @order_request.completed_date IS NULL

Search Results

Add To Query Clear Query

Inventory Action | Crop Trait | Accession IPR | Get Crop Trait Observation | Orders | Cooperators | Get Sit | Show All Columns


Owner Site	Order Type	Intended Use	Intended Use Note	Completed Date	Item Count	Final Recipient
O	Distribution				1	Tayl
T	Distribution				0	Singl
T	Distribution				3	Cant
T	Distribution				0	Ruth
T	Transfer				343	Perc

Showing rows: 50 of 50 | Connected to: https://training.ars-grin.gov/GRINGlobal/GUI.aspx

Deleting Order Records and Order Items in the Wizard

Deleting an Order Record

Click the delete button on the record's navigation bar to delete the current order record:




Deleting an Order Item

If you need to delete an order item, select the item's row (click on the left row header cell) in the order item grid at the bottom of the wizard window, and then press the keyboard's **Delete** key.

	Order Item ID	Order Request	Item Number	Accession	Inventory	Item Name	Requested Taxonomy Name	Taxon
	-3	-1	1	PI 543956	DPRU 1649 0000A PL	Sun Crest		Prunus dome

Click **OK** to respond to the prompt:



Attachments

Attachment files can be submitted by the germplasm requester *after* he submits his order. To do so, he must go to his **Order History** and click on the order's **view detail** link:

Home Page > My Account > My Order History

You have submitted 3 germplasm order(s).

order placed on:
June 9, 2015
[view detail](#) asap please
 Order Request Number: **4271**

To upload a file, the requester must first click on the **Browse...** button:

Order Detail Number: 4271 **Order Status: ACCEPTED**

Requestor:
 Eloise Beauchard
 RRG
 PHONE: 410.666.0100
 FAX:

Ship To:
 207 Melancholy Way
 Lville, Maryland 21093, United States

Ordered Items (1 item):

ID	Plant Name	Taxonomy	Form Distributed	Item Status	Maintained by	Comments
MR 201502 REI		Vitis vinifera	Seed	ACCEPTED	DBMU	

Intended use for this germplasm:
 RESEARCH:Entomological investigations. Research use notes - looking 4 bugs

Special instructions for the order:
 asap please

You may have ordered accessions from more than one NPGS site and your order maybe split between sites and may be handled in different ways. You may receive your material in several shipments.

Order Request Actions:

Action Step	Action Date	Action Note
NEW	June 9, 2015	New Order created from Web Order by marty.reisinger@ars.usda.gov

Upload File

Browse... No file selected.
Upload Note: To save and upload a document, the **upload** button must be pressed.


In the window, he then locates and selects the source file:

The screenshot shows a Windows File Explorer window with the address bar set to 'This PC > Windows (C:) > aGG'. The left pane shows the folder structure with 'aGG' selected. The right pane displays a list of folders:

Name	Date modified	Type	Size
GRIN	5/20/2014 2:20 PM	File folder	
guides	10/14/2014 2:07 ...	File folder	
HelpFiles	11/7/2014 11:41 ...	File folder	
images	6/5/2015 1:01 PM	File folder	
international_stuff	6/8/2015 2:11 PM	File folder	
inv_lookup_video	1/14/2015 12:18 ...	File folder	
NPGS_impn	2/5/2015 10:49 AM	File folder	
OddsNends	5/8/2015 10:57 AM	File folder	

Order Wizard


and will ultimately click on the **Upload** button to load the file:



File Name	Upload Timestamp
-----------	------------------


The requester can continue to upload additional files until the order has been shipped.

Whenever an attachment has been added, the genebank receives an email indicating that the order has had an attachment added:



From	Subject	Received	Cate
dbmu@ars-grin.gov	GRIN-GLOBAL - Public Order Attachment (Web Order Number 4271) (action: Added file 4271_PI_588791.jpg)	Tue 6/9/20...	
dbmu@ars-grin.gov	GRIN-GLOBAL - Public Order Attachment (Web Order Number 4271) (action: Added file 4271_eye.jpg)	Tue 6/9/20...	
dbmu@ars-grin.gov	GRIN-GLOBAL - Public Order Attachment (Web Order Number 4271) (action: Added file 4271_hug...	Tue 6/9/20...	

Within the CT's Order Wizard, the genebank person filling the order needs to click the **Update** button on the **Attachments** tab:




Order Request Attach ID	Order Request	Virtual Path	Thumbnail Virtual Path	Sort Order	Title	Descri
2016	266387 - Beauch...	~/uploads/import...	~/uploads/import...			
2017	266387 - Beauch...	~/uploads/import...	~/uploads/import...			
-3	266387 - Beauch...	~/uploads/import...	~/uploads/import...			

If the software viewer recognizes the file, it will display in the window.


Order Wizard

When it doesn't, it launches the program that recognizes the file. (For example, the Microsoft Word program would launch a .docx file.)



However, after the web order has been shipped (completed) in the CT, the **Browse** button on the Public Website is no longer available and the requester cannot attach additional files or documents. If the requester needs to include additional files with his order, he would need to contact the genebank and email the file(s) directly to the genebank. The genebank person processing the order can still attach documents to a shipped order.

The Order Wizard has an **Attachments** tab page which supports the attachment files. In the Order Wizard, attachment files can be manually dragged onto the Order Wizard Attachments page's datagrid:



Splitting an Order

For various reasons you may need to split an order: some of the germplasm on the order may not be available so a decision might be made to send what is ready and move the unavailable germplasm to a new order (to be processed at a later date). Another reason is that an incoming web order that impacts multiple sites comes in on one order – a site could move its accessions from the incoming multiple order and create a new order for only their site’s accessions.

How to Split an Order

When discussing “splitting an order,” there are two primary ways of speaking about this, splitting:

- Incoming web orders
- Partially filled orders when not all of the germplasm is available

Incoming web orders

Incoming web orders may have requests for germplasm stored at multiple sites – the first site to process that order will split out their site’s items from the incoming order. Later, the other involved sites will select their parts of the order.

On the **Web Order** tab, select the **My Site’s Accessions Only** checkbox when the incoming order needs to be split:

The screenshot shows the 'Order Wizard v1.9.4.0' interface. At the top, it displays 'Order Number: 66745' and 'Items: 177'. Below this, the 'Web Order Filters' section includes radio buttons for 'Selection', 'My Web Orders', 'My Site's Web Orders', and 'All Sites' Web Orders', with 'All Sites' Web Orders' selected. There are also checkboxes for 'Accepted Order', 'New Order', and 'Canceled Order', with 'New Order' checked. A 'Web Find' button is present. Below the filters, there are tabs for 'Order', 'Actions', and 'Web Orders'. The 'Web Orders' tab is active, showing a table with columns: 'Web Order Request ID', 'Ordered Date', 'Status', 'Intended Use', and 'Web Cooperator'. The first row shows ID 12, date 1/8/2014 10:13:56 P, status 'New Order', and cooperator 'Reis, Horatio, RRG1'. Below the table, there are buttons for 'Create New Order Request', 'My Site's Accessions Only' (checked and highlighted with a red box), and 'Create New Cooperator'. A 'Note' field at the bottom contains the text: 'Plant Pathological investigations. Research use notes - need some with bugs'.



When an incoming web order contains requests for germplasm from multiple sites, the first site to process the order will be processing a *new* order. Other sites that later process the order, will need to look for the order by its **Web Order Number** (its status will no longer be new).

Splitting an Order


The screenshot shows the 'Order Wizard v1.9.4.0' interface. At the top, it displays 'Order Number: 240411' and 'Items: 12'. The 'Web Order Filters' section is highlighted with a red box and contains a search input field with the value '12' and a 'Web Find' button. Below this, there are tabs for 'Order', 'Actions', and 'Web Orders'. The 'Web Orders' tab is active, showing a summary of the order with fields for 'Web Order Request ID' (12), 'Status' (SUBMITTED), 'Intended Use' (RESEARCH), and 'Web Cooperator' (Reis, Horatio, RRG). Below the summary is a table of 'Web Order Items'.

Web Order Request Item ID	Cooperator	Web Order Request	Item Number	Accession	Site
107	Reis, Horatio, RR...	12	1	PI 638324	COR
108	Reis, Horatio, RR...	12	2	PI 638763	COR
109	Reis, Horatio, RR...	12	3	PI 613189	COR
110	Reis, Horatio, RR...	12	4	PI 613188	COR
111	Reis, Horatio, RR...	12	5	PI 618072	COR
112	Reis, Horatio, RR...	12	6	PI 618067	COR

Partially Filled Orders


The second reference to splitting an order occurs when an order processor splits the order for some reason, such as germplasm unavailability for part of the order. The order cannot be completely filled, but rather than wait for all the requested germplasm to become available, the processor will “split the order” and send a partial order. (And later send the other germplasm when it becomes available.)

In the Order Wizard, under the **Order** tab, select the order item(s); right-click. Select **Item Status...** then select **Split out order item**; select **Yes** on the **Split Order Confirmation** window.




Reports

Beginning in CT v 1.9.4, when selecting reports in the grid, only reports that can be printed for selected individual items will be listed in the menu. Packing slips, picking slips, and other order-related reports may be launched via the Order Wizard **Printing** dropdown shown in the second illustration).



Beginning in CT v 1.9.4, the **Printing** dropdown has a list of relevant reports from which to select.



Appendix: Document Revision Notes

– February 17, 2016

- added detailed information and notes pertaining to drag and drops
- included additional screens
- added a section on searching for the **Completed Date**

– June 9, 2015

- added detailed information about order attachments

– May 28, 2015

- added information about editing items in the grid

– March 13, 2015

- extensive editing
- screen captures included from 1.9.6.41