

Source Habitat Information: Descriptors and Codes



Revision Date

January 5, 2017



This guide provides details on the set of dataviews in which source collection site/habitat information may be kept. A core set of fields are stored in the `accession_source` table, but with some additional source/habitat tables, GG now can handle any data that an organization intends to store on the collection site. Genebank managers can create custom source habitat descriptors (and codes) for an unlimited amount of detail on the collection site. (This set of tables / dataviews is similar to the set of dataviews used to manage crop traits and evaluations.)

The [Appendix](#) contains [change notes](#) pertaining to this document.

Comments/Suggestions:

Please contact feedback@ars-grin.gov with any suggestions or questions related to this document. This and other GRIN-Global –related documentation can be downloaded from the GRIN-Global [Training page](#).


Table of Contents

Introduction to the Source Habitat Dataviews	3
Overview	3
Source/Habitat Dataviews	6
Recording Source Habitat Observations	7
Understanding What Source Habitat Descriptor to Use	7
Determining the Source/Habitat Descriptor Code Values	8
Using the Accession Wizard	9
Source Descriptor Observation: Coded Value / Numeric Value / Text Value	10
Bulk Adding of Source Habitat Records	10
Dataviews Used to Define the Source Habitat Descriptors	11
Source Descriptor Dataview	11
Source Descriptor Lang Dataview	13
Source Descriptor Code Dataview	14
Source Descriptor Code Lang Dataview	15
Changes in this Document	17
– January 4, 2017	17
– November 3, 2014	17


Introduction to the Source Habitat Dataviews

Overview

In the 1.0 GRIN-Global schema, data pertaining to the collection site where the accession was collected was stored in the **accession_source** record. The accession_source table held (and still does hold) data associated with an accession collected in the wild such as latitude, longitude, elevation, general source description, general associated species, etc. The fields in this schema were limited.



In the post 1.5 schema, this core set of collection site/habitat information still remains in the accession_source table, but new source_ tables have been added to make it possible to associate source habitat observation records with the collected accession. The five new tables provide an extremely flexible method for adding detailed information about the collection site. Genbank personnel can now associate multiple source descriptor observation records with the collection site (accession source) data. This was not possible with 1.0's single accession_source table.



The Source/Habitat descriptors and codes used by the organization will typically be entered by the organization's GRIN-Global database manager(s). For example, an organization can record Source/Habitat descriptors such as Slope, Aspect, Soil pH, and Soil Texture. The genebank personnel will then use those descriptors to enter the Source/Habitat observations (similar to the way they enter Crop Trait observation records).




Refer to the **Appendix IV: List of Standard Descriptors for site environment** section in Bioversity's the document (Technical Bulletin Number 13) "[Developing crop descriptor lists, Guidelines for developers](#)" for additional information and examples of standard descriptors.

In order to use this expanded functionality, there are three essential steps to follow:

1. The organization determines what descriptor categories, Source/Habitat descriptors, and codes are to be added to the database.

The GG database administrator will add any source descriptor *categories* to the **Source Descriptor Category** code group.

The Source/Habitat descriptors are generally added by only one person in the organization, usually the GRIN-Global database administrator (DBA). When a new descriptor is needed, the flow will be similar to the following – the descriptor is added, then the Lang dataview is used to indicate the Title and Description. If the descriptor is a coded descriptor, then the codes must be added. [An online spreadsheet](#) contains sample descriptors, codes, and detailed directions for installing S/H descriptors in your organization's GG database.



Using the Curator Tool, the GG administrator (typically) enters the Source / Habitat descriptors, titles, and descriptions into the GG database using the **Source Descriptor** and the **Source Descriptor Lang** dataviews.

Similarly, using the Curator Tool, for any descriptors that use codes, someone (again typically the GG administrator), enters the codes, the code titles, and code descriptions into the GG database using the **Source Descriptor Code** and **Source Descriptor Code Lang** dataviews.



This step 1 is repeated only when new descriptors, codes, and descriptor categories need to be added to the database.

2. Collectors visit sites and gather germplasm; they will also record field data about the collection date and the collection site.

- In the Curator Tool, the accessions are added to the GG database. Accession records can be created using the **Accession Wizard** and while doing so the child **Accession Source** records can be created which can also include the Habitat / Source data. (See [Recording Source Habitat Observations](#).) Typically genebank personnel will handle this task.

The sample Accession Wizard screen below illustrates the recording of the source descriptor observation data. So far, as shown here, a source record has one cooperators associated with it and one source descriptor observation record:

The screenshot shows the 'Accession Wizard v1.9.6.33' window. The 'Source' tab is active. The 'New Source' table contains the following data:

Source Type	Source Date Format	Source Date	Is Origin?	Geography	Note	Elevation (meters)	Collector Verbatim Locality
Collection source...	mm/dd/yyyy	10/29/2014	<input checked="" type="checkbox"/>	United States, M...			

The 'New Cooperator' table contains the following data:

Cooperator
Reisinger, Martin A., Reisinger Resource Group.

The 'New Source Descriptor Observation' table contains the following data:

Source Descriptor	Coded Value	Numeric Value	Text Value	Original Value
SOILTEXTURE	LMSND			


(Multiple cooperators and additional source descriptor observation records can be added later. There is no limit to the number of cooperators or observations associated with the source record.)



An alternative to entering the source habitat data in the accession wizard is to use the **Source Descriptor Observation** dataview. (The accession records and their related source descriptor records must be in the GG database before any Source Descriptor Observation records can be added.)

Source/Habitat Dataviews

In the Curator Tool, there are five dataviews in the **Source/Habitat** area:



- [Source Descriptor](#)
- [Source Descriptor Lang](#)
- [Source Descriptor Code](#)
- [Source Descriptor Code Lang](#)
- [Source Descriptor Observation](#)

Curator Tool users recording the observations will primarily use the **Source Descriptor Observation** dataview. The other four dataviews are used to set up the descriptors and any related codes. These will often be used by only one person, the GG administrator or someone responsible for establishing the descriptors and codes to be used by the organization.

Curator Tool Habitat Source Descriptor dataviews

Input Data for the...	Dataview to use...	Records Created By...
Source Descriptor	Source Descriptor Source Descriptor Lang (titles & descriptions)	GG Administrator
Source Descriptor Code	Source Descriptor Code Source Descriptor Code Lang (titles & descriptions)	GG Administrator
Source Descriptor Observation	Source Descriptor Observation (typically accessed via the Source tab in the Accession Wizard)	Genebank Personnel



The **core** Global Information System / Georeferencing data is stored in the Curator Tool in the **Accession Source** dataview.

Accessions	Accession Source	Inventory	Inventory Action	Orders	Cooperators	Inventory Maintenance Policy	Get Inventory Viability	
Environment Description	Collector Verbatim Locality	Elevation (meters)	Latitude	Longitude	Uncertainty	Formatted Locality	Georeference Datum	Georeference Protocol

Recording Source Habitat Observations

Understanding What Source Habitat Descriptor to Use

It is important to understand which S/H Descriptor to use when recording the Source Habitat observation data. One way to determine that is to use the Search Tool and display all of the records using the **Source Descriptor Lang** dataview. The **Title** and **Description** field indicate the purpose of each descriptor.

Search Criteria Clear Text

@source_descriptor_lang.source_descriptor_lang_id LIKE "%"

Search Results

Add To Query Clear Query

Get Source Descriptor **Source Descriptor Lang** Source Descriptor Code Source Descriptor Code Lang Code Value Code Value Language Inventory Viability Show All Columns

Source Descriptor Lang ID	Descriptor	Language	Title	Description	Created Date	Created By
25	SOIL pH	English	Soil pH	pH of the specific micro site from which accession was collected	9/25/2015 1:14 ...	Reisi
26	SOIL TEXTURE	English	Soil texture	Soil texture classes (FAO 1990)	9/25/2015 1:30 ...	Reisi
27	THREAT CATEGORY	English	Threat Category	Describes potential threats to site at the time of collection	9/25/2015 1:39 ...	Reisi
28	TOPOGRAPHY	English	Topography	Profile in the land surface elevation on a broad	9/25/2015 1:40 ...	Reisi

You can determine if the descriptor is coded or not in the **Source Descriptor Code** dataview:

Inventory	Orders	Cooperators	Acc Source	Inventory Maintenance Policy	S/H Descriptor	S/H Descriptor Lang	S/H Descriptor
Source Descriptor ID	Descriptor	Category	Data Type	Is Coded?	Max Le		
1	AGE CLASS DISTRIBUTION	Plot/sampling chara...	Alpha/numeric descriptor	N			
2	ASPECT	Abiotic landform ch...	Alpha/numeric descriptor	Y			
4	ELEVATION ACCURACY	Uncategorized desc...	Numeric descriptor	N			
5	ENVIRONMENT DESCRIPTION	Abiotic landform ch...	Alpha/numeric descriptor	N			
6	FECUNDITY	Plot/sampling chara...	Alpha/numeric descriptor	N			
7	INDIVIDUAL STRUCTURE	Sample specific cha...	Alpha/numeric descriptor	Y			
8	LAND ELEMENT	Abiotic landform ch...	Alpha/numeric descriptor	Y			
9	LAND OWNER	Uncategorized desc...	Alpha/numeric descriptor	Y			
10	LAND OWNER REMARKS	Uncategorized desc...	Alpha/numeric descriptor	N			

Determining the Source/Habitat Descriptor Code Values

Similarly, you can display the codes using the Search Tool and the **Source Descriptor Code Lang** dataview:

The screenshot shows the Search Tool interface. The search criteria field contains the query: `@source_descriptor_code_lang.source_descriptor_code_lang_id LIKE '%'`. The search results table is displayed below, with the 'Source Descriptor Code Lang' column highlighted in red. The table has the following columns: Source Descriptor Code Lang ID, Descriptor, Code, Language, Title, and Description.

Source Descriptor Code Lang ID	Descriptor	Code	Language	Title	Description
4	ASPECT	East	English	East	East facing slope
5	ASPECT	West	English	West	West facing slope
6	ASPECT	Northeast	English	Northeast	Northeast facing slope
7	ASPECT	Northwest	English	Northwest	Northwest facing slope

Showing rows: 281 of 281 | Connected to: <https://training.ars-grin.gov/GRINGlobal/GUI.aspx>



Highly recommended: In the Curator Tool, create a dynamic folder so that you can refer later to the descriptors and codes without needing to return to the Search Tool. Switch back and forth between the four S/H dataviews to determine the descriptors' descriptions and code values.

The Dynamic Folder criteria: `@source_descriptor.source_descriptor_id LIKE '%'`

The screenshot shows the 'Dynamic List Options' dialog box. The 'Resolve To:' section has 'Default' selected. The 'Dynamic Folder Search Criteria:' field contains the query: `@source_descriptor.source_descriptor_id LIKE '%'`.


...or set up a static folder with the S/H Descriptors:

The screenshot shows the GRIN-Global v1.9.6.43 application interface. The 'S/H Descriptors' folder is selected in the left-hand pane. The main table displays the following data:

Source Descriptor Code Lang ID	Descriptor	Code	Language	Title	Description	Created Date
3	ASPECT	South	English	South	South facing slope	9/24/2015 3:10 ...
6	ASPECT	Northeast	English	Northeast	Northeast facing slope	9/24/2015 3:10 ...
7	ASPECT	Northwest	English	Northwest	Northwest facing slope	9/24/2015 3:10 ...
8	ASPECT	Southeast	English	Southeast	Southeast facing slope	9/24/2015 3:10 ...
32	LAND ELEMENT	Midslope	English	Midslope	Midslope	9/24/2015 5:20 ...
50	LAND USE	Crop agriculture	English	Crop agriculture	Crop agriculture	9/24/2015 5:40 ...
54	LAND USE	Extensive grazing	English	Extensive grazing	Extensive grazing	9/24/2015 5:40 ...
57	LAND USE	Hunting/fishing	English	Hunting/fishing	Hunting/fishing	9/24/2015 5:40 ...
63	LAND USE	Nature protection	English	Nature protection	Nature protection	9/24/2015 5:40 ...
65	LAND USE	Perennial field crop	English	Perennial field crop	Perennial field crop	9/24/2015 5:40 ...


Using the Accession Wizard

The easiest way to enter Habitat Source Observations is via the Accession Wizard's **Source** tab. In the **Source** window, work from top down, left to right. First indicate the **Source Type**. Since these source observations are designed to describe the collecting site, in most cases the Source Type will be "Collection source event." As mentioned earlier, some of the basic geo data is stored directly in the **Accession Source** record – scroll to the right to display these fields:



In the bottom left panel, click on the **New Cooperator** button and select a cooperator from the lookup list; include each cooperator that participated on the collecting trip.

Use the **New Source Descriptor Observation** panel in the bottom right and input as many descriptors as desired.



Source Descriptor Observation: Coded Value / Numeric Value / Text Value

These three fields are mutually exclusive. Unfortunately, when recording the observation and using the **Source Descriptor Observation** dataview, there is no interface clue to indicate which field to use – you must know how the descriptor was defined.

Enter data in only one of the three fields – **Coded Value**, **Numeric Value**, or **Text Value** – the other two fields should not be filled. For example, if the descriptor uses a coded field, select a value for the **Coded Value** field from the lookup; do not input in the **Numeric Value** or **Text Value** fields.

Not sure which descriptor to use? See [Understanding What Source Habitat Descriptor to Use](#) See [Coded or Not?](#) section to determine if the Source/Habitat Trait is coded or not.

Bulk Adding of Source Habitat Records

The accession wizard works well when updating accessions manually; however, when you intend to bulk add many habitat source records, you should use the **Source Descriptor Observation** dataview:

Source Descriptor Observation ID	Accession Source	Source Descriptor	Source Descriptor Code	Code	Numeric Value
533	mar 32601 rei COLLECTED 03/26/2014	SLOPE2	3	3	
-2					

You can drag and drop data from a spreadsheet into this dataview.



You will need to know the full accession key (prefix, number, and suffix), the event code (typically “COLLECTED” and the event date. You can see in the example below how the **Accession Source** field is combining that data.

Also remember that you do not update the gray read-only fields – that will be done for you after you successfully add the records.

Lookup Picker v1.9.5.0

HINT: For big lists, use the text filter to shorten the list search.

Filter -> mar


- Mar 11121301 rei COLLECTED 01/01/2005
- Mar 11121301 rei DEVELOPED 11/12/2013
- Mar 11121301 rei DONATED 01/01/2001
- mar 11141301 rei COLLECTED
- mar 11141301 rei DEVELOPED 01/01/1975
- mar 11141301 rei DONATED 01/01/1989
- mar 22801 rei DONATED 02/28/2014
- mar 32601 rei COLLECTED 03/26/2014

Dataviews Used to Define the Source Habitat Descriptors

Before any Source/Habitat observations can be recorded, the Source/Habitat descriptors must be added (typically by only one person in the organization, usually the GRIN-Global database administrator). When a new descriptor is needed, the flow will be similar to the following – the administrator adds the descriptor via the **Source Descriptor** dataview, then uses the **Source Descriptor Lang** dataview to indicate the Title and Description.

If the descriptor is a coded descriptor, then the codes must be added, using first the **Source Descriptor Code** dataview, then the **Source Descriptor Code Lang** dataview.

[An online spreadsheet](#) contains sample descriptors, codes, and detailed directions for installing S/H descriptors in your organization's GG database.



Source Descriptor Dataview

Get Crop Trait	Get Source Descriptor	Get Source Descriptor Lang	Get Source Descriptor Code	Get Source Descriptor Code Lang	Get Crop Trait	
	Source Descriptor ID	Descriptor	Category	Data Type	Is Coded?	Max Length
	294082	SOILDRAINAGE	Abiotic soil characteristics	Alpha/numeric descriptor	<input checked="" type="checkbox"/>	
	-2		[Null]	[Null]	<input type="checkbox"/>	

The **Source Descriptor** record has three required fields:

- Descriptor
- Category
- Data Type

Descriptor

Descriptor is a descriptive name for the descriptor, inputted when the new descriptor record is created.

Category

Category and **Data Type** use drops downs. All GG drop downs use codes entered by the GRIN-Global database administrator. If a value is needed for either dropdown, contact the GG administrator. For

example, in the U.S. NPGS, the **Category** codes are:

Group Name: SOURCE_DESCRIPTOR_CATEGORY

Values (7) Referenced By (2 / 1)

Language: English

Value	Title	Descriptor
ABIOTIC_LANDFORMS	Abiotic landform characteristics	
ABIOTIC_SOIL	Abiotic soil characteristics	
BIOTIC_HABITAT	Biotic habitat characteristics	
CLIMATE	Climate characteristics	
OTHER	Uncategorized descriptors	
PLOT_SAMPLING	Plot/sampling characteristics	
SAMPLE_SPECIFIC	Sample specific characteristics	

Data Type

There are four valid codes for **Data Type**.

Group Name: CROP_TRAIT_DATA_TYPE

Values (4) Referenced By (13 / 4)

Language: English

Value	Title	Description
CHAR	Alpha/numeric descriptor	
LOWER	Lowercase character descriptor	
NUMERIC	Numeric descriptor	
UPPER	Uppercase character descriptor	

Optional Fields

Select/Deselect All

- Source Descriptor ID
- Descriptor
- Category
- Data Type
- Is Coded?
- Max Length
- Numeric Format
- Numeric Maximum
- Numeric Minimum
- Original Value Type
- Original Value Format
- Ontology URL
- Note

Is Coded?

When the **Is Coded?** field is selected, the descriptor will use coded values to denote the level of the descriptor. (Qualitative characteristics can be measured using nominal, ordinal or binary scales.)

Refer to the [online data dictionary](#) for descriptions of the other fields.

Source Descriptor Lang Dataview



Ensure the **Source Descriptor Lookup** is updated before adding the related **Source Descriptor Lang** record.

Get Crop Trait	Get Source Descriptor	Get Source Descriptor Lang	Get Source Descriptor Code	Get Source Descriptor Code	
Source Descriptor Lang ID	Descriptor	Language	Title	Description	Created Date
1	SOILDRAINAGE	English	Soil drainage	Adapted from FAO 1990	3/26/2014 8:
-2					3/27/2014 6:

The **Source Descriptor Lang** record has two required fields:

- Descriptor
- Language

Descriptor

Descriptor is a descriptive name for the descriptor; selected from the **Source Descriptor Lookup** table.

Language

Language is selected from the **System Language Lookup** table.

Optional Fields

<input checked="" type="checkbox"/> Select/Deselect All
<input checked="" type="checkbox"/> Source Descriptor Lang ID
<input checked="" type="checkbox"/> Descriptor
<input checked="" type="checkbox"/> Language
<input checked="" type="checkbox"/> Title
<input checked="" type="checkbox"/> Description

Title

The source descriptor's title.

Description

The source descriptor's description.

Source Descriptor Code Dataview

When a **Source Descriptor Trait** is defined as “Coded,” the codes for the trait must be defined and must be unique. If you are unsure what codes have already been defined, [search](#) on the **Source Descriptor Code Lang** dataview to list the existing codes.

Get Crop Trait	Get Source Descriptor	Get Source Descriptor Lang	Get Source Descriptor Code	Get Source	
	Source Descriptor Code ID	Descriptor	Code	Created Date	Created By
	22197	SOILDRAINAGE	3	3/26/2014 8:20 ...	Reisinger, Martin,...
▶	-2			3/27/2014 6:21 ...	Reisinger, Martin,...

Descriptor

Descriptor is a descriptive name for the descriptor; selected from the **Source Descriptor Lookup** table.

Code

The value which will indicate the scale level.

[An online spreadsheet](#) contains sample descriptors, codes, and detailed directions for installing S/H descriptors in your organization’s GG database.

Source Descriptor Code Lang Dataview



Ensure the **Source Descriptor Code Lookup** is updated before adding the related **Source Descriptor Code Lang** record.

Source Descriptor Code Lang ID	Descriptor	Code	Language	Title	Description
75	SOILTEXTURE	Sand	English	Sand	Sand - Soil Texture
-2	SOILTEXTURE				

Lookup Picker v1.9.6.12

HINT: For big lists, use the text filter to shorten the list search.

Filter ->

Clay
Clay loam
Coarse sand
Coarse sandy loam
Fine sand
Fine sandy loam
Loam
Loamy coarse sand
Loamy fine sand
Loamy sand
Loamy very fine
Sand
Sand unsorted

Show Only Choices
Valid For This:
 source_descriptor_id

Refresh List OK Cancel

The **Source Descriptor Code Lang** record has three required fields:

- Descriptor
- Code
- Language

The primary function of this language dataview is to associate a **Title** and **Description** with a **Source Descriptor Code** record, so the typical ...Lang record will have those two fields filled as well.

Using the Search Tool to list **Source Descriptor Codes**:

The screenshot shows the GRIN-Global Search v1.9.6.33 application window. The 'Basic Query' section contains a search bar with the query '@source_descriptor_code_lang_source_descriptor_code_lang_id > 0'. The search results are displayed in a table with columns: Source Descriptor Code Lang ID, Descriptor, Code, Language, Title, Description, and Created Date. The 'Source Descriptor Code Lang' column is highlighted with a red box.

Source Descriptor Code Lang ID	Descriptor	Code	Language	Title	Description	Created Date
9	ASPECT	U	English	U	Uncertain	12/31/2012 7:00...
10	ASPECT	F	English	F		12/31/2012 7:00...
11	SOILTEXTURE	1	English	Clay	Clay - Soil Texture	10/29/2014 3:16...
12	SOILTEXTURE	2	English	Loam	Loam - Soil Texture	10/29/2014 3:16...
13	SOILTEXTURE	3	English	Clay loam	Clay loam - Soil Texture	10/29/2014 3:16...
14	SOIL TEXTURE	4	English	Silt	Silt - Soil Texture	10/29/2014 3:16...

Appendix

Changes in this Document

– January 4, 2017

- major rewrite of the introduction and background information

– November 3, 2014

- captured screens to reflect the current dataview heading names
- edited overall text