



Use BLOCK CAPITALS  
 Complete all fields.  
 Circle relevant descriptions shown in *italics*.

MSB Serial Number:   
 NRCS PLANTS Code:   
 Cleaning Facility:

Date(s) Collected (DD/MM/YY):  Seed Collection Reference Number:

Collector(s):

Country:  Ecoregion (T,O, B):  State:  County:

Location Details:

Lat. (dg/min/sec) (ex: 40° 34' 19.5" N):  GPS Used?:   If no, please see other side.

Long. (dg/min/sec) (ex: 107° 36' 51.54" W):  GPS Datum:

Elevation (feet):  Landowner Details (Permission?):

**HABITAT DATA**

Habitat, Associated Species & Ecological Site Descriptor:

Modifying Factors:

Land Form:  Slope°:

Land Use:  Aspect:

Geology:

Soil Texture:     Soil Color:

**COLLECTION DATA - If plant has been identified by a specialist, please see other side.**

Family:  No. of Plants Sampled (min. 50):

Genus:  No. of Plants Found (approx.):

Species:  Area Sampled (acres):

Subspecies/Variety:

Seeds Collected From:

Plant Habit:      Plant Height (feet):

Native plant materials development and research this accession will be used for:

Notes to assist identification of pressed specimen (e.g. flower color, odor, presence of closely related species):

Common Name(s) of Plants:

Photograph Taken:   Reference (PLANTS Code\_Coll. Number\_Pic. No.):  Where Image will be Filed:

*CPC collection*

**PRE-COLLECTION CHECKLIST**

(Check box to right if condition indicated by **boldface** is met or is the most frequently occurring condition.)

Assess Population & Seed Dispersal Stage				
Approximate area of population: 10 acres				
Approximate total number of individual plants present and accessible:	0-50	<b>50-500</b>	500-5000	> 5000
Evidence of disturbance or damage:	<i>Resown</i>	<i>Burnt</i>	<i>Sprayed</i>	<b>No damage</b>
Readiness of population for collecting: give percentages or circle the most frequently occurring:				
	<i>Vegetative</i>	<i>In flower</i>	<i>Immature seeds</i>	<b>Around natural dispersal</b>
				<i>Post dispersal</i>
Estimate the number of individual plants at natural dispersal stage:	<50	<b>&gt;50</b>		
Is the population:				
	<b>A single population</b>	<i>A population with distinct sub-populations (Can you sample separately or from the most suitable?)</i>		

Assess Seed Quality & Availability	
On a typical individual, where on the plant/branch/fruit is the seed at natural dispersal stage:	<b>Recognized</b>
Using a cut test on the seeds at this stage, give percentages or circle the most frequently occurring:	
	<b>Healthy</b> <i>Insect-damaged</i> <i>Empty</i> <i>Moldy</i> <i>Malformed/other damage</i>
Estimate the number of healthy seeds per fruit:	20
Estimate the number of fruits per individual plant:	20

Should Seed Be Collected On This Trip?
Using the above information, if you only collect 20% of the healthy seeds available today, will this result in a collection of <b>&gt;10,000</b> healthy seeds? Yes

**OTHER DATA**

If GPS was not used, please state method of obtaining lat. and long.: *Altimeter* **Map**

Map Publisher:

Series:  Scale:

Map Coordinates:  Map Date (DD/MM/YY):

**Herbarium voucher specimens:**

Number of Pressed Specimens:     Date Voucher Was Taken (DD/MM/YY):

Circle one:

- a. All Herbarium duplicates will be sent to Kew to arrange labeling, verification and distribution (default)
- b. One duplicate will be sent to \_\_\_\_\_ herbarium for verification, other duplicates will be sent by the collector to Kew to arrange labeling and distribution.
- c. All Herbarium duplicates will be sent to \_\_\_\_\_ herbarium that has agreed to arrange labeling, verification and distribution.
- d. A herbarium voucher has been sent to the National Herbarium at the Smithsonian, and the remaining will be distributed by the \_\_\_\_\_ collecting team to regional herbaria: \_\_\_\_\_.

By default, besides any herbaria mentioned above, one specimen will be sent to Kew and one to the Smithsonian. If you would like to request that additional specimens be sent to regional and/or local herbaria, please fill in the following information:

Regional Herbarium:

Local Herbarium:

**If collection has been identified by a specialist, please complete sections below:**

Material Identified:

Date identified (DD/MM/YY):

Identified by:  Organization:

Seed Test/Packaging Record

PRE-PACKAGING CHECKLIST		
Tag Count Complete	# of Tags	Date/Initials
	0	1/27/09
OSU Sample Taken	# of pounds	
	.089	
Sample Sent	Y/N	
		No on 10,000

Test Results: Both in-house and/or OSU		REMARKS
100 Seed X-ray	82%	ENTERED
Moisture Content	4.5%	
Seed Count	1,106,300	
GERM	TZ OSU	Strat Time: NC ___ 4C ___ 8C ___ 13C ___
PURITY	92%	or NOXIOUS WEED only ___

MOISTURE CONTENT (use one of three methods below)									
**Dole Meter**			**Moisture Analyzer**			**HygroPalm**			
Dial Reading	M.C.	Grams	Temp °C	Time Used	% M.C.	Time	Air Temp	ERH	M.C.
							68°	20	4.5

X-Ray Results
82 % Filled
Results from 100 Seed X-Ray

PURITY (Use OSU sample chart to determine wt. of sample)	
Wt. of Sample: _____ gms	Wt. of All Impurities: .14 gms
Wt of Impurities:	Wt. of Clean Seed 1.6 gms
• Crops _____ gms	<b>TOTAL (Impurities + Clean Seeds) 1.74 gms</b>
• Inerts .14 gms	Percent Purity = $\frac{\text{Wt. of clean seeds}}{\text{Wt. of Total}} \times 100 = 92\%$
• Weeds _____ gms	
• Noxious _____ gms	

SEEDS PER POUND	** NOTE: If difference between max and min is less than 10% of the average samples, data is acceptable
Weight to three decimal places, when possible	
Wt. of 5 reps of 100 seeds each (in grams).	
.041 .040	Difference between max & Min wt. _____ 10% of average _____
TOTAL of ALL Reps: _____	NOTE: Seeds/Pound = $\frac{453600}{1000}$ (453.6 grams = 1 pound)
Average: _____	To calculate M seed wt, take Total of 5 samples times 2.
	2 x Total of 5 reps = .41 = 1000 seed wt.
	Seeds per Pound = 1,106,300

FINAL PACKAGING for Seed Storage/Transfer			
Bag #	Bag Wt.	Bag #	Bag Wt.
Bag # 1	.120		
Bag # 2			
Bag # 3			
Bag # 4			
Bag # 5		Last Bag	
<b>TOTAL Wt.</b>			.120

No on 10,000 (client)

SEED TRANSFER Log Number			
Date	Wt. Shipped	Ship via	Purpose Remarks

DATE	Start	Stop	Process	Initials
1/27/09	0845		226-test	AC
		0920	2270-pkg	AC

	ID card file sample
	Regional Office ID file