

358946 to 358952—Continued**358951.** 'Shiromomo'.**358952.** 'Tateishi'.**358953 and 358954.**

From Japan. Grafted trees presented by the Horticultural Research Station, Hiratsuka, Kanagawa. Received March 31, 1971.

358953. PYRUS sp. Rosaceae.

HN No. 36.

358954. PYRUS sp.

HN No. 39. (Indicator for Hiratsuka Necrotic Spot Virus).

358955. PHYSALIS NICANDROIDES Schlect. Solanaceae.

From Mexico. Seed collected by L. A. Spetzman, Plant Science Research Branch, Plant Industry Station, Beltsville, Maryland. Received March 24, 1971.

Highway 15 about halfway between Tepic and Guadalajara, Nayarit State. Annual to 2 m. Fruits 5 cm. diameter, dry to a golden color. Very ornamental. Possible value for dried arrangement.

358956. LYCOPERSICON PIMPINELLIFOLIUM (Jusl.) Mill. Solanaceae. Currant tomato.

From El Salvador. Seed collected by E. P. Imle, United States Department of Agriculture—Agency for International Development Team Leader, San Salvador. Received March 23, 1971.

166. On sides of San Andres pre-Colombian pyramid. Healthy plants. Fruits typical of species but smaller.

358957 to 358964.

From Ecuador. Seed collected by C. M. Rick, Jr., Department of Vegetable Crops, University of California, Davis, California. Received March 4, 1971.

358957 to 358963. GOSSYPIUM DARWINII Watt Malvaceae. Cotton.**358957.** SAM 2756. In pahochoe about 1 km. west of Villamil, Isla Isabela, Galapagos. Elevation 5 m. Small bolls, lint white, sparse. Wild.**358958.** SAM 2760. One km. north of Punta Essex, Isla Isabela, Galapagos. Elevation 50 m. Common in open glades. Typical plant for species. Old stalks with mature bolls, lint tan, sparse. New growth in flower with small flat bolls. Semi-open yellow flowers with 1 cm. red spots. Leaves 3-parted, veins and petioles deep red. Wild.**358959.** SAM 2768. Two miles west of Punta Albermarle among Palo Santo in pahochoe 0.5 m. from rocky slope, Isla Isabela, Galapagos. Elevation 40 m. Plants dormant except for small new shoots. Leaves deeply cleft, 5-parted, many dark spots. No flowers seen. Wild.**358960.** SAM 2775. Along Borrero Bay 30.5 m. from central playa, Isla Santa Cruz, Galapagos. Elevation 20 m. Plant dormant. Naked seed type. Wild.**358961.** SAM 2779. Dragon Hill between Conway Bay and Venite, north side of Isla Santa Cruz, Galapagos. Typical. Naked seeds. Wild.