

365920 to 365977—Continued**365938 to 365956—Continued**

365953. SAL 449. Caranquillo, 92 km. east of Pativilca on road to Conocha, Ancash Province. Elevation 2,450 m. Highly variable. Distinctive race of this region with prominent bifurcate inflorescences. Highly variable. Wild.

365954. SAL 452. Four km. east of San Jose de Palla, Lima Province. Elevation 1,430 m. On road from Chosica to Huinco. Similar to Surco-Matucana material, highly variable. Wild.

365955. SAL 453. West of puebla of San Geronimo on road between Chosica and Huinco, Lima Province. Elevation 1,600 m. Similar to Surco-Matucana material, highly variable. Wild.

365956. SAL 457. Two km. north of Asia, Lima Province. Large population in cultivated fields west of Carretera Panamericana. Elevation 10 m. Similar to Asia, Chilca, Canebe material. Grayish, hairy, short internodes. Wild.

365957 to 365967. LYCOPERSICON PIMPINELLIFOLIUM (Jusl.) Mill.**Currant tomato.**

365957. SAL 351. Twenty nine km. from Chancay on road to Pacaibamba, Lima Province. Elevation 400 m. Typical coastal species. Wild.

365958. SAL 416. Patio garden in San Juan. Said to come from Nazca, Ica Province. Typical coastal species. Hairless, short internodes, very compact inflorescence. Wild.

365959. SAL 419. Pescadores, 83 km. north of Camana on road to Lima. Typical coastal species, hairless. Wild.

365960. SAL 426. About 3.8 km. north of Plaza de Armas in Casma, Ancash Province on east side of Panamerican Highway. Typical Trujillo red currant type, somewhat variable population. Wild.

365961. SAL 427. Puente Chao, 48 km. north of Rio Santo, La Libertad Province on west side of Panamerican Highway. Typical Trujillo red currant type. Wild.

365962. SAL 428. Between Laredo and Poroto, 19 km. from Plaza de Armas, Trujillo, La Libertad Province. Among thorns in fence row, south of road. Elevation 400 m. Typical Trujillo red currant type. Wild.

365963. SAL 433. Cuculi, 41.8 km. east of Chiclayo on road to Chongoyape, Lambayeque Province. Roadside weed. Elevation 180 m. Large flowered Trujillo type. Wild.

365964. SAL 439. About 24.2 km. east of Panamerican Highway to Moro, opposite Nepena, Ancash Province. Elevation 320 m. Typical northern coast red currant type. Wild.

365965. SAL 441. About 3.8 km. west of Jimbe on road to Nepena, Ancash Province. Elevation 1,000 m. Single, vigorous plant, typical of region except fruits seem to be larger. Wild.

365966. SAL 443. Near Lacran, 51.8 km. east of Casma on road to Huaras, Ancash Province. Elevation 1,000 m. Typical red currant type of region. Wild.