

471818 TO 471898-continued

Vicente, Nicoya, Guana Province. 100M. Salvadoreno-Clavillo race. Seeds white. Local name Blanco. Cultivated. Seed.

471884. 268. Costa Rica. Lat. 10 deg. N, Long. 84 deg. W. 70M. Negrito-Clavillo race. Seeds purple-white. Cultivated. Seed.
471885. 339. Colombia. Choco. 27M. Negrito race. Seeds purple. Cultivated. Seed.
471886. 366. Colombia. Cundinamarca. Pollo race. Seeds white-yellow. Cultivated. Seed.
471887. 399. Colombia. Magdalena. 229M. Coroico race. Seeds yellow. Cultivated. Seed.
471888. 405. Bolivia. Coroico race. Seeds yellow-bronze. Cultivated. Seed.
471889. 438. Bolivia. Coroico-Amarillo race. Seeds yellow-bronze. Cultivated. Seed.
471890. 462. Colombia. Boyaca. Pira-BCO race. Seeds white. Cultivated. Seed.
471891. 480. Colombia. Cundinamarca. Pira-BCO race. Seeds white. Cultivated. Seed.
471892. 635. Bolivia. Argentina-Cuban Yellow race. Seeds yellow-orange. Cultivated. Seed.
471893. 792. Bolivia. Coroico-BCO race. Seeds white. Cultivated. Seed.
471894. 1000. Bolivia. Coroico-Amarillo race. Seeds bronze-yellow. Cultivated. Seed.
471895. 1042. Bolivia. Coroico race. Seeds bronze. Cultivated. Seed.
471896. 1048. Bolivia. Coroico-Blanco race. Seeds white. Cultivated. Seed.
471897. 1063. Bolivia. Coroico race. Seeds bronze. Cultivated. Seed.
471898. 1082. Bolivia. Coroico-Blanco race. Seeds white. Cultivated. Seed.

471899 TO 471904. *Glycine max* (L.) Merr. (Fabaceae) Soybean.

From Indonesia. Sumarno, Central Research Institute for