

495837 TO 495843-continued

- long. Harvestable fruits in 70 days until frost. Fruits oblong, white, smooth, faint lines. Flesh seasons to orange and green. Use like squash. Breeding Material. Seed.
495839. 16. United States. Plants bush type. Harvestable fruits in 60 days until frost. Fruits round, light yellow, smooth, slightly lined, somewhat variable. Use as pumpkin or squash. Breeding Material. Seed.
495840. 17. United States. Plants bush type, very dark green. Harvestable fruits in 60 days. Fruits narrow at both ends and wide in middle, some ribbed, green weave with white base, 17.5cm diameter, 12.5cm long, smooth, keeps well. Flesh 3.7cm thick, white at harvest, seasons to orange. Use like pumpkin. Breeding Material. Seed.
495841. 23. United States. Plants multi-headed bush type. Harvestable fruits in 40-50 days until frost. Fruits oblong, white skin texture slightly irregular but smooth, weight 2.2kg. Use all purpose. Breeding Material. Seed.
495842. 28. United States. Plants multi-headed bush type. Harvestable fruits in 60 days-pick as soon as ripe. Fruits round, yellow, glossy, slightly bumped, pumpkin lined, 22.5cm diam. by 22.5cm long, weight 3.8kg, very attractive. Flesh 3.7cm thick, yellow gold color. Use all purpose. Breeding Material. Seed.
495843. 29. United States. Plants multi-headed bush type. Harvestable fruits in 60 days until frost-pick as ripens. Fruits somewhat variable, round, slightly tapered at stem end, gold, 30cm diam. by 30cm long, weight 5.4kg. Flesh 3.7 to 5cm thick, golden yellow to orange. Use all purpose. Breeding Material. Seed.

495844 TO 495867. Cucurbita pepo L. (Cucurbitaceae).

From United States. Donated by Brush, Jennie C.; Johnstown, Pennsylvania.

Received February 1985.

495844. 1. United States. Plants multi-headed bush type. Leaves large, few. Harvestable fruits in 60 days until frost. Fruit round, 30cm diameter, white, slightly bumped texture, non-cooking, decorative. Referred to as Doeball. Breeding Material. Seed.
495845. 2. United States. Plants medium-length branching vine. Harvestable fruits in 50-55 days until frost. Plants and fruits variable, earlier crossed to bush type. Fruit round to 15cm diameter, slightly peaked at stem end,