

PI 543887. *Oryza sativa* L. POACEAE Rice

Donated by: Bockelman, H.E., USDA-ARS-NSGGRF, P.O. Box 307, Aberdeen, Idaho, United States. Received July 07, 1989.

origin: UNCERTAIN. **cultivar:** THUNG MON HWA SHO. **other id:** F 24. **other id:** 1800. **other id:** ACC 3543.
Perennial. Seed.

PI 543888. *Oryza sativa* L. POACEAE Rice

Donated by: Chang, T.T., International Rice Research Institute, International Rice Germplasm Center, P.O. Box 933, Manila, Luzon, Philippines. Received July 08, 1989.

origin: UNCERTAIN. **cultivar:** HABIGANJ AMON 2. **other id:** F 93. **other id:** ACC 11933. Perennial. Seed.

PI 543889 to 543892. *Tripsacum dactyloides* (L.) L. POACEAE Eastern gamagrass

Donated by: Dewald, C.L., Southern Plains Range Res. Sta., 2000 18th Street, Woodward, OK, United States. Received October 01, 1990.

PI 543889 **origin:** United States. **cultivar:** WW-1903. **other id:** FT-I. **remarks:** Fertile warm season triploid bunchgrass with up-right habit. Foliage deep green with basal and cauline leaves, 15 to 20mm wide and 30 to 60cm long at maturity. Foliage height average approx. .75 to 1.5m with seed stalks reaching 2-2.5m. Seed maturity slightly later than native diploids and occurs during late July at Woodward, OK. Disease resistance good to anthracnose (*Colletotrichum* sp.). Perennial. Cultivar. Seed.

PI 543890 **origin:** United States. **cultivar:** WW-1906. **other id:** FT-II. **remarks:** Fertile warm season triploid bunchgrass with up-right habit. Foliage deep green with basal and cauline leaves, 15 to 20mm wide and 30 to 60cm long at maturity. Foliage height average approx. .75 to 1.5m with seed stalks reaching 2-2.5m. Seed maturity slightly later than native diploids and occurs during late July at Woodward, OK. Disease resistance good to anthracnose (*Colletotrichum* sp.). Perennial. Cultivar. Seed.