

PI 561027-continued

**donor id:** KSZ-77. **origin:** Malaysia. **cultivar:** INDONESIAN GIANT. **local name:** Wax jambu. **collected:** August 14, 1990. **collector:** R.J. Knight, R.J. Schnell, F. Zee. **collector id:** KSZ-77. **locality:** 2 marcots bought from Tropical Fruit Tree Nursery, Kuching, Sarawak. **latitude:** 01 deg. 32 min. N. **longitude:** 110 deg. 19 min. E. **remarks:** Tree evergreen, large. Fruit waxy, pear shaped. Fruit color dark red. Growing in popularity here. This crop shows promise for Florida, Hawaii and the Caribbean. 2 plants. Cultivated. Plant.

PI 561028 to 561035. *Triticum aestivum* L., nom. cons. POACEAE Club wheat

**Donated by:** Allan, R.E., Agricultural Research Service -- USDA, Washington State University, Pullman, Washington 99164-6420, United States; and Washington Agr. Exp. Sta.. **remarks:** Three Strawbreaker Foot Rot Resistant Wheat Germplasm Lines. Received March 23, 1992.

PI 561028 **origin:** United States. **developed:** R.E. Allan. **origin institute:** USDA-ARS/Washington Agric. Exp. Station, Washington State University, 209 Johnson Hall, Pullman, Washington 99164-6420 United States. **origin institute id:** WA 7526. **pedigree:** Bulk of 70 lines: Tres/Tyee, Tres/SU92/6\*OM/WST/2\*OM, Tres/14/5\*OM/SP/2\*OM, Tres/SU92/6\*OM/Ibis/2\*OM, Tres/14/5\*OM/MS/2\*OM, Tres/SU92/6\*OM/DC/2\*OM, Tres/SU92/6\*OM/2629/2\*OM. **other id:** A8810. **remarks:** 1 gene (Rht2) winter-type semidwarf with awnless to awnletted compact spikes having soft white kernels. Glume color mainly white, 5% red. Entry in Western Reg. SWW Nursery (1987-90). Flowering midseason. Test wt. avg. 10g L-1 < Tres. Has heterogeneous resist. to *P. striiformis*, *P. recondita*, *T. caries/foetida*. 60% of seedlings resist. CDL-1 of *P. striiformis*. Milling & baking quality = to Tres. Milling score, cake vol., and sponge cake score lower than Hyak. Cookie diameter < Moro. Winter Annual. Breeding Material. Seed.