

The following were collected by William W. Roath, USDA, ARS, Iowa State University, Regional Plant Introduction Station, Ames, Iowa 50011, United States; T.B. Cavalcanti, CENARGEN, Brazil; Taciana Barbosa Cavalcanti, EMBRAPA-CENARGEN, SAIN - Parque Rural, Caixa Postal 10.2372, Brasilia, Brazil . Donated by Centro Nacional de Recursos Geneticos, Empresa Brasileira de Pesquisa, Agropecuaria, Brasilia, Federal District, Brazil. Received 04/27/1990.

PI 578178. *Cuphea micrantha* Kunth

Wild. BRA 000442; TBC-WWR 240; Ames 13628. Collected 02/17/1989 in Minas Gerais, Brazil. Latitude 18 deg. 8' S. Longitude 43 deg. 32' W. Elevation 760 m. North facing slope with dispersed vegetation to brush, gray sands, 27km NW Diamantina on BR 367.

The following were collected by William W. Roath, USDA, ARS, Iowa State University, Regional Plant Introduction Station, Ames, Iowa 50011, United States. Received 10/06/1992.

PI 578179. *Cuphea viscosissima* Jacq.

Wild. WWR 3551; Ames 20050. Collected 10/06/1991 in Missouri, United States. Latitude 38 deg. 34' N. Longitude 90 deg. 40' W. Elevation 185 m. Roadside ditch at edge of elm-ash forest in Rockwood Wildlife Reserve. 100m NW MO DOC Hdq Glencoe Rd, 2.7km from Hwy 109, Eureka Quad, T44 R3E Sec. 10, St. Louis Co. Associated with Euphorbia, Oxalis, Partheocissus, and Elymus.

PI 578180. *Cuphea viscosissima* Jacq.

Wild. WWR 3552; Ames 20051. Collected 10/06/1991 in Missouri, United States. Latitude 38 deg. 36' N. Longitude 90 deg. 44' W. Elevation 176 m. Roadside ditch 0.6km NW of intersection of County Road. 'T' and DeHardt Rd. on NE side of Hardt Farm Rd. Eureka Quad, T44N R3E Sec. 6, St. Louis Co. Associated with giant ragweed, Aster pilosus, fesque, elm, pawpaw, and white ash.

The following were developed by Oregon State University, Oregon Agr. Exp. Sta., Corvallis, Oregon 97331, United States. Donated by Steven J. Knapp, Oregon State University, Department of Crop & Soil Science, Crop Science Building, Corvallis, Oregon 97331, United States. Received 03/17/1987.

PI 578181. *Cuphea wrightii* A. Gray var. *wrightii*
Breeding. WR054; Ames 8096.

The following were collected by William W. Roath, USDA, ARS, Iowa State University, Regional Plant Introduction Station, Ames, Iowa 50011, United States; G. Pedralli, Centro Internacional de Mejoramiento de Maiz y Trigo, Brazil. Donated by Centro Nacional de Recursos Geneticos, Empresa Brasileira de Pesquisa, Agropecuaria, Brasilia, Federal District, Brazil. Received 05/06/1991.

PI 578182. *Cuphea calophylla* var. *mesostemon* (Koehne) Lourt.

Wild. GP-WWR 003015; BRA 002305; Ames 15477. Collected 10/30/1989 in Parana, Brazil. Latitude 25 deg. 35' S. Longitude 48 deg. 55' W. Elevation 380 m. Roadside slope, mixed vegetation, light colored sands and gravels. 14km SW inter road Morretes to Paranagua and BR 277 toward Curitiba. Paranagua. 100+ seed collected.

The following were collected by William W. Roath, USDA, ARS, Iowa State University, Regional Plant Introduction Station, Ames, Iowa 50011, United States; Alvaro Campos, Universidad Nacional Autonoma de Mexico, Department of