

PI 585078. *Ipomoea* sp.  
CAMOTE AMARILLO; C 13739; 506; Q 24526.

PI 585079. *Ipomoea* sp.  
CAMOTE BLANCO; C 13739; 623; Q 24530.

PI 585080. *Ipomoea* sp.  
CAMOTE BLANCO; C 13739; Franja C; Q 24535.

Unknown source. Received 01/07/1985.

PI 585081. *Ipomoea batatas* (L.) Lam. var. *batatas*  
573; Q 25354.

Unknown source. Received 01/07/1985.

PI 585082. *Ipomoea batatas* (L.) Lam. var. *batatas*  
578; Q 25355.

Unknown source. Received 01/07/1985.

PI 585083. *Ipomoea batatas* (L.) Lam. var. *batatas*  
625; Q 25363.

The following were donated by F. Martin, USDA-ARS, Tropical Research Station, P.O. Box 70, Mayaguez, Puerto Rico. Received 04/27/1987.

PI 585084. *Ipomoea batatas* (L.) Lam. var. *batatas*  
Cultivar. "MARGARITA"; BE-1227; SPV-70; Q 26768. Exceptional clone, white fleshed, usually not sweet, very good table qualities, but poor form, does not flower.

The following were donated by Dan Austin, Florida Atlantic University, Department of Biological Services, Boca Raton, Florida 33431, United States. Received 10/26/1987.

PI 585085. *Ipomoea batatas* (L.) Lam. var. *batatas*  
Cultivar. "BARACUTEY"; BE-1532; Q 26988. Collected in Mexico.

PI 585086. *Ipomoea batatas* (L.) Lam. var. *batatas*  
Cultivar. "REGIONAL DE TEHUANTEPEC"; BE-1532; Q 26994. Collected in Mexico. Caecot.

The following were donated by Hisashi Kukimura, Uplant Crop Div., Kyushu Nat. Agr. Expt. Station, 6644 Yokoichi, Miyakonojo Miyazaki, Japan. Received 04/10/1989.

PI 585087. *Ipomoea batatas* (L.) Lam. var. *batatas*  
Cultivar. "KYUKEI 97"; BE-2260; Q 27755. Pedigree - Kyushu 80/Kyukei 7620-6. Plants compact, non-twining. Storage root red. Flesh yellow. Dry matter of root 34%. Carotene content very low. Keeping quality good. Beta-amylase activity very low. Moderate tolerance to stem root and soil rot. High tolerance to Black rot, Scurf, and Southern root-knot and root lesion nematodes.

The following were donated by D. Tay, Genetic Resources Unit, AVRDC, P.O. Box