

33913 to 34038—Continued.**34019.** *SESBAN PAULENSIS* Barb. Rodr.*Description.*—A legume found in the province of Sao Paulo in Brazil.**34020.** *DAUBENTONIA TRIPETHI* Poiteau.

The genus *Daubentonia* is generally considered as a subgenus of *Sesban*, but examination of the seeds and pods shows sufficient differences to warrant us in following Dr. John K. Small in retaining it as a distinct genus.

Distribution.—A shrub with evenly pinnate leaves and yellow flowers found in Argentina.

34021. *SIDA BONARIENSIS* Willd.

Distribution.—A shrubby plant belonging to the mallow family; found in the vicinity of Buenos Aires in Argentina.

34022. *SOLANUM BONARIENSE* L.

Distribution.—An unarmed, solanaceous, shrubby perennial found in cultivated fields in the region of Buenos Aires in Argentina.

34023. *STENOLOBIUM STANS* (L.) Seemann.*(Tecoma stans* Juss.)

Distribution.—A partly shrubby perennial belonging to the Bignoniaceæ; found in sandy soil from Florida and southern Texas southward through Mexico and Central America.

34024. *STENOLOBIUM STANS* (L.) Seemann.*(Tecoma stans* Juss.)**34025.** *STROPHOPAPPUS SPECIOSUS* (Less.) Stuntz.*(Vernonia speciosa* Less., *Linnaea*, vol. 4, p. 290, 1829.)*(Stilpnopappus speciosus* (Less.) Baker, in Martius, *Flora Brasiliensis*, vol. 6, pt. 2, p. 138, 1876.)

Seeds of this asteraceous Brazilian species have been received under the name *Stilpnopappus speciosus* (Less.) Baker. The genus *Stilpnopappus* was published by Martius in *De Candolle* (*Prodromus*, vol. 5, p. 75, 1836), but the genus *Strophopappus* was published on the same page above the *Stilpnopappus* publication. Inasmuch as the two are recognized as congeneric, the earlier name should be used.

Distribution.—A shrubby composite found on dry hill slopes in the provinces of Matto Grosso, Minas Geraes, and Sao Paulo in Brazil.

34026. *STIGMAPHYLLON JATROPHAEPOLIUM* Juss.

Distribution.—A yellow-flowered shrubby climber found along the rocky banks of the Uruguay River in the province of Rio Grande do Sul.

34027. *STIGMAPHYLLON LITTORALE* Juss.*Distribution.*—A climbing shrub found along the La Plata in Brazil.**34028.** *TAGETES MINUTA* L.

Distribution.—An annual composite found in waste places in the vicinity of Valparaiso in Chile, at Buenos Aires in Argentina, and in central Brazil.

34029. *TERMINALIA TRIFOLIATA* Spreng.

Distribution.—A tree or tall shrub with 3-parted leaves and flattened, winged fruits, found in Brazil.

34030. *TIPUANA TIPU* (Bentham) Lillo.*(Machaerium (Tipuana) tipu* Benth., *Hook. Journal, Botany*, vol. 5, p. 267, 1853.)

Seeds of this Bolivian mimosaceous tree were received under the name *Tipuana speciosa* Benth. (*Journal, Linnean Society of Botany*, vol. 4, Supple-