

40627 to 40644—Continued.

40631. *CHRYSANTHEMUM CINERARIAEFOLIUM* (Trev.) Vis.

"Glaucous perennial, slender, 12 to 15 inches high; stems unbranched, with a few short, scattered hairs below the flower; leaves long-petioled, silky beneath, with distant segments; involucre scales scarious and whitish at the apex. Dalmatia. Said to be the chief source of Dalmatian insect powder. Rarely cultivated as a border plant. Common in botanic gardens." (*Bailey, Standard Cyclopaedia of Horticulture, vol. 2, p. 757.*)

40632. *CHRYSANTHEMUM COCCINEUM* Willd.

See S. P. I. Nos. 31103 and 40512 for previous introductions and description.

40633. *CHRYSANTHEMUM CORONARIUM* L.

"Annual, 3 to 4 feet; leaves bipinnately parted, somewhat clasping or eared at the base, glabrous, the segments closer together than in *C. carinatum*; involucre scales broad, scarious; rays lemon colored or nearly white. July to September. The full double forms, with rays reflexed and imbricated, are more popular than the single forms. This and *C. carinatum* are the common summer chrysanthemum. This is common in old gardens, and is also somewhat used for bedding and pot culture." (*Bailey, Standard Cyclopaedia of Horticulture, vol. 2, p. 754.*)

40634. *CHRYSANTHEMUM CORYMBOSUM* L.40635. *CHRYSANTHEMUM GRANDE* (L.) Hook. f.

"Stout erect perennial of Algeria, 2 to 3 feet; leaves oblong to linear-oblong, often lyrate, coarsely toothed; flower heads large, solitary, rayless, golden yellow, to 2 inches across." (*Bailey, Standard Cyclopaedia of Horticulture, vol. 2, p. 758.*)

40636. *CHRYSANTHEMUM* sp.

Received as *Chrysanthemum haussknechtii*, the place of publication of which has not yet been found.

40637. *CHRYSANTHEMUM LACUSTRE* Brotero.

"Perennial; endlessly confused with *C. maximum* in gardens, and the two species are very variable and difficult to distinguish; the flowers can hardly be told apart. *C. lacustre* is a taller and more vigorous plant, and sometimes it is branched at the top, bearing three heads, while *C. maximum* is always 1-headed, and the leaves in that species are much narrower. Height, 3 to 6 feet; stem sparsely branched; leaves partly clasping, ovate-lanceolate, with coarse, hard teeth; rays about 1 inch long; pappus of the ray 2 to 3 eared. Portugal, along rivers, swamps, and lakes." (*Bailey, Standard Cyclopaedia of Horticulture, vol. 2, p. 757.*)

40638. *CHRYSANTHEMUM LEUCANTHEMUM* L.

Oxeye daisy.

40639. *CHRYSANTHEMUM MACROPHYLLUM* Waldst. and Kit.

"Perennial herb, 3 feet; leaves very large, nearly sessile, pinnatisect, the lobes lanceolate and coarsely toothed; heads very many, corymbed; rays white with yellowish tinge, the disk yellow. June, July; an outdoor plant. Hungary." (*Bailey, Standard Cyclopaedia of Horticulture, vol. 2, p. 758.*)