

3986. CITRULLUS COLOCYNTHIS.**Colocynth.**

From Cairo, Egypt. Received through Messrs. Lathrop and Fairchild (No. 305), December 28, 1899.

Cultivated like other gourds. It has medicinal properties, but the reason for introducing it at the present time is as a moth preventive. In Egypt the dried fruits are crushed to powder, mixed in the proportion of 2 to 1 with black pepper, and spread over clothing to prevent moths from eating it. As it has no odor, this preventive is worthy of consideration. The seeds and fruits are extremely bitter and poisonous. (Reprinted from Inventory No. 6.)

3987. VICIA FABA.**Broad bean.**

From Cairo, Egypt. Received through Messrs. Lathrop and Fairchild (No. 306), December 28, 1899.

A red-seeded variety of Egyptian origin. Planted here two seeds in a hill, 12 inches apart, in November. It fruits in five months. The young pods and seeds are cooked and eaten. The beans mature dry and are cooked. This variety does better here than the imported European sorts. (Reprinted from Inventory No. 6.) Distributed.

3988. ALBIZZIA LEBBEK.**Lebbek.**

From Cairo, Egypt. Received through Messrs. Lathrop and Fairchild (No. 307), December 28, 1899.

The *Lebbek* is altogether the most beautiful shade tree that is extensively planted in Egypt. It was introduced from the East Indies previous to 1807, and hundreds of thousands are now planted along the roadways. As an avenue tree it is not excelled for shade and grace. The seeds are planted in seed beds and when the young plants are 1 year old they are transplanted to nursery rows, where they are allowed to remain three years. They are then "topped" to the desired height and transplanted. The first year after transplanting they need water, later they stand drought exceedingly well. If left in the nursery rows until the trunks are 3 inches through, the three or four new branches formed make a graceful crown. The tree has endured 28° F., or possibly lower. The blossoms are sought by bees. The wood is of good quality. It grows in poor-limestone or rocky soils. This one tree has transformed the roadways about Cairo into most beautiful shady avenues. For southern California and Florida. A more extended account may be found in Circular No. 23 of the Division of Botany. (Reprinted from Inventory No. 6.)

3989. CYPERUS LAEVIGATUS.

From Cairo, Egypt. Received through Messrs. Lathrop and Fairchild (No. 308), December 28, 1899.

Sedge from which Egyptian mats are made. The plant is used in reclaiming salt marshes and the leaves are utilized for mat manufacture. The seeds are broadcasted in beds, well watered, and after fifty days transplanted 1 foot apart each way. The plants must have their roots always covered with water. It is perennial, 9 to 13 feet high, with stems one-half inch in diameter. There are many cultivated varieties. (Reprinted from Inventory No. 6.)

3990. CUCUMIS CHATE.**Salad cucumber.**

From Cairo, Egypt. Received through Messrs. Lathrop and Fairchild (No. 309), December 28, 1899.

Salad cucumber, grown very extensively in Egypt, as it ripens fruit for the table twenty days earlier than the ordinary cucumber and is a heavier producer. The fruits are long, horn-shaped, and of delicate flavor. They are more succulent than ordinary cucumbers, according to Mr. George Bonaparte, of the Gizeh Agricultural College, near Cairo. The young fruits are pickled. (Reprinted from Inventory No. 6.)