

80576 to 80629—Continued.

80584 and 80585. *CITRULLUS VULGARIS* Schrad. Cucurbitaceae. **Watermelon.**

Seeds from the Tokyo Seed, Plant, & Implement Co., Konon, Tokyo, April 19, 1929.

80584. No. 82. *Ka Ho Sui Ka*. Used as the ordinary squash.

80585. No. 91. *Rokoku Ogon Mitsu Suika* (Russian golden sweet watermelon). A variety used as the ordinary watermelon.

80586. *COLOCASIA* sp. Araceae.

No. 112. Tubers obtained in the market at Tokyo, April 23, 1929.

80587. *COLOCASIA* sp. Araceae.

No. 113. Corms obtained in the market at Tokyo, April 23, 1929.

80588 to 80591. *CUCUMIS MELO* L. Cucurbitaceae. **Cucumber.**

Seeds from the Tokyo Seed, Plant, & Implement Co., Konon, Tokyo, April 19, 1929.

80588. No. 74. *Ginmakuwa* (Japanese muskmelon). A variety used as the ordinary muskmelon.

80589. No. 77. *Tokyo o Shirouri* (Japanese vegetable melon). Said to be used in making a salted pickle.

80590. No. 83. *Narukomakuwa*. Used as the ordinary muskmelon.

80591. No. 86. *Enaga Shinuri*. Said to be used in making salted pickles.

80592 to 80596. *CUCURBITA MOSCHATA* Duchesne. Cucurbitaceae. **Cushaw.**

Seeds from the Tokyo Seed, Plant, & Implement Co., Konon, Tokyo, April 19, 1929.

80592. No. 75. *Kikusa Nankin, Kabocha*. Said to be used as the ordinary squash.

80593. No. 76. *Chirimeu Nankin* (large curled squash). Said to be used like the ordinary squash.

80594. No. 79. *Gokunase Godan We Sato Nankin, To Nasu* (earliest 50-pound sugar squash). Used as an ordinary cooked squash.

80595. No. 80. *Saikyo Nankin, Tonasu*. Used as an ordinary squash.

80596. No. 85. *Sousei Kurokawa Nankin* (earliest black-skinned Japanese squash). Said to be used as the ordinary squash.

80597 and 80598. *CUCURBITA PEPO* L. Cucurbitaceae. **Pumpkin.**

Seeds from the Tokyo Seed, Plant & Implement Co., Konon, Tokyo, April 19, 1929.

80597. No. 78. *Shokudo Nozuyu o* (table queen). A variety said to have sweet flesh. It keeps well in the winter after harvesting.

80598. No. 84. *Namasu Nankin* (Japanese salad squash). A new variety said to be used raw for salads.

80599. *LILIUM* sp. Liliaceae. **Lily.**

No. 96. Bulbs of a mountain lily from the Tokyo Seed, Plant & Implement Co., Konon, Tokyo, April 19, 1929. *Yama Yuri*. It is commonly known as

80576 to 80629—Continued.

mountain lily, cooking lily, and Eizan lily. Eizan is the name of a mountain where this lily grows abundantly. The stems are 5 to 6 feet high, the leaves broad and striped, and the flowers have a very strong odor and are generally white with the inside of the petals spotted dark red.

80600. *FATSIA JAPONICA* (Thunb.) Decaisne and Planch. Araliaceae.

No. 116. Seeds obtained at the Botanical Garden in Tokyo, April 23, 1929. This broad-leaved evergreen undershrub is extensively used here in most of the parks so far visited.

80601. *IPOMOEA BATATAS* (L.) Poir. Convolvulaceae. **Sweetpotato.**

No. 110. Tubers obtained in Tokyo, April 23, 1929. A rather long variety of good size and light pink on the outside.

80602. *LACTUCA* sp. Cichoriaceae. **Lettuce.**

No. 73. Seeds from the Tokyo Seed, Plant & Implement Co., Konon, Tokyo, April 19, 1929. *Ryuzetsu Sai* (alligator's tongue). A green-leaved vegetable generally used as a garnish and for salting down.

80603 to 80623. *PHASEOLUS VULGARIS* L. Fabaceae. **Common bean.**

Nos. 80603 to 80608 were from Nishigahara, Tokyo, April 11, 1929.

80603. No. 3. *Sapporo Oingen*. A white-seeded variety of runner bean, originally from Hokushu, said to be used for boiling and making jam.

80604. No. 4. *Kintoki Uzura*. A red-seeded variety of runner bean said to be used for boiling and making jam.

80605. No. 5. *Ogon*. A light brown-seeded variety of bush bean, originally grown in Hokushu, said to be used for green beans.

80606. No. 6. *Goishi*. A black and white seeded variety of bush bean originally from Hokushu, said to be used as string beans.

80607. No. 7. *Usuki*. Originally grown in Kokushu. A cream-seeded variety of bush bean said to be used as green beans.

80608. No. 8. *Hoso Suzunari*. Originally grown in Hokushu. A white-seeded variety of the bush type with black spots at each end of the seed scar; said to be used as string beans.

80609. No. 9. *Chunaga Uzura*. From the suburbs of Tokyo, April 11, 1929. A variety of the runner type cream colored mottled with red, said to be used as string beans. The dried beans are used baked.

80610. No. 10. *Kintoki Uzura*. From the suburbs of Tokyo, April 11, 1929. A red-seeded variety of the runner type, said to be used in making a sweet bean jam and used in confections.

80611. No. 11. From Nishigahara, Tokyo, April 11, 1929, originally grown in Hokushu. A variety of the runner type, cream colored mottled with red. This variety is