

350876 to 351051—Continued

- 351031. 69Z2.163/1382a. Innichen.
- 351032. 69Z2.164/1382b. Innichen.
- 351033. 69Z2.165/1369b. St. Johann.
- 351034. 69Z2.166/1376d. St. Johann.
- 351035. 69Z2.167/1378b. St. Johann.
- 351036. 69Z2.168/1369a. St. Johann.
- 351037. 69Z2.169/1376b. St. Johann.
- 351038. 69Z2.170/1378c. St. Johann.
- 351039. 69Z2.171/1370b. Rauris.
- 351040. 69Z2.172/1371a. Lagrein.
- 351041. 69Z2.173/1371b. Lagrein.
- 351042. 69Z2.174/1372a. Kleinarl.
- 351043. 69Z2.175/1373a. Hannsberg.
- 351044. 69Z2.177/1380a. Niederndorfberg.
- 351045. 69Z2.178/1380b. Niederndorfberg.
- 351046. 69Z2.179/1380c. Niederndorfberg.
- 351047. 69Z2.180/1383b. Fiss.
- 351048. 69Z2.181/1384a. Nuziders.
- 351049. 69Z2.182/1385a. Hirschberg.
- 351050. 69Z2.183/1386a. Laisach.
- 351051. 69Z2.184/1387a. Eisenkappel.

351052 to 351058. SOLANUM TUBEROSUM L. Solanaceae. Potato.

From Finland. Tubers presented by Agricultural Research Centre, Institute of Plant Breeding, Jokioinen. Received June 24, 1970.

- 351052. 'Jaakko'. 'Eigenheimer' x 'Goldwahrung'. Early. Table potato. Flesh light yellow. Very high yield. Starch content 15 percent. Susceptible to late blight, scab and virus. Resistant to wart disease.
- 351053. 'Peippo'. 'Kalev' x (Finnish indigenous x 'Pepo'). Medium early. Fodder potato. High yield. Starch content 14 percent. Susceptible to late blight and virus diseases. Resistant to wart disease.
- 351054. 'Koto'. 'Eigenheimer' x 'Kalev'. Medium early. Table potato. Flesh light yellow. High yield. Starch content 14 percent. Susceptible to late blight, scab and virus. Resistant to wart disease.
- 351055. 'Teho'. 'Aquila' x (Finnish indigenous x 'Pepo') x 'Jogeva 400'. Medium late. Starch production and fodder. Flesh white. High yield. Starch content 16 percent. Susceptible to scab. Resistant to virus, wart disease and late blight.
- 351056. 'Pito'. 'Golden Wonder' x 'Ella'. Medium late. Table potato and starch production. Flesh yellow. High yield. Starch content 18 percent. Very mealy, baking quality excellent. Resistant to late blight, scab, virus and wart disease.
- 351057. 'Veto'. 'Aquila' x 'Rosafolia'. Medium early. Table potato and starch production. Flesh light yellow. High yield. Starch content 17 percent. Resistant to late blight, scab, virus, and wart disease.
- 351058. 'Jo 0241'. (*Solanum demissum* x 'Early Puritan') x 'Ruusulehti'. Medium late. Table potato. Flesh light yellow. High yield. Starch content 14 percent. Baking quality medium. Susceptible to scab and virus. Resistant to wart and late blight disease.