

365920 to 365977—Continued**365920 to 365930—Continued**

- 365921.** SAL 374. Granja, 7 km. northeast of Satipo, Junin Province. Elevation 730 m. Typical cherry tomato of region, fruits possibly larger. Wild.
- 365922.** SAL 394. Seventeen km. from San Francisco on east side of road to Hacienda Santa Rosa, Ayacucho Province. Elevation 600 m. Typical red cherry, hairy plant. Wild.
- 365923.** SAL 404. On both sides of highway, 1.3 km. south of bridge over Rio Apurimac near Abancay, Apurimac Province. Elevation 1,800 m. Several variants of the cherry tomato spontaneous in fields and dooryards. Wild.
- 365924.** SAL 407. 'Chaina Tomate'. Piacchayoc in Hoachomayo near Quillabamba, Cuzco Province. Elevation 1,200 m. Typical cherry tomato of variable hairy type. Wild.
- 365925.** SAL 408. Hacienda Potrero, 3.5 km. south of Quillabamba, Cuzco Province. Elevation 1,200 m. Typical *cerasiforme* of region. Wild.
- 365926.** SAL 412. West of Abancay 21 km. on road to Puqino along Rio Pachachaca, Apurimac Province. Elevation 2,200 m. Large fruited red cherry, very short internodes. Wild.
- 365927.** SAL 456. East of South Eulalia, 1.3 km. on Chosica-Huincó road, Lima Province. Elevation 900 m. Red, large fruited (2 to 2.5 cm.), cherry tomato. Wild.
- 365928.** SAL 501. La Estancilla, Manabi Province. Wild.
- 365929.** SAL 502. La Estancilla, Manabi Province. Wild.
- 365930.** SAL 509. Santa Cecilia, dooryard garden, Nepo Province. Elevation 500 m. Cherry type, 3 locules, hairy. Possibly pink fruits. Cultivated.

365931 to 365937. LYCOPERSICON HIRSUTUM Humb. & Bonpl.

- 365931.** SAL 378. One-half km. below Surco, on central Highway, Lima. Elevation 3,200 m. Typical form of species. Wild.
- 365932.** SAL 382. East of Puebla 3 km. in boulders south of Río Chillón on road to Canta, Lima Province. Elevation 1,600 m. Typical *hirsutum*. Wild.
- 365933.** SAL 431. About 74 km. east of Plaza de Armas, Trujillo and 9 km. west of Otusco Junction, La Libertad Province. Elevation 2,160 m. Wet places near irrigation ditch. Typical form of species. Wild.
- 365934.** SAL 437. Northern outskirts of Contumaza, Cajamarca Province. Elevation 2,650 m. Typical form of species with variation in pigmentation of stems and hairiness of fruit. Wild.
- 365935.** SAL 438. Between Contumaza and Cascas, 21 km. south of Contumaza. Elevation 2,300 m. Similar to P.I. 365934. Wild.
- 365936.** SAL 445. Four km. east of Pariacoto, and 62 km. east of Casma on road to Huaras, Ancash Province. Elevation 1,490 m. Typical form of species. Wild.