

462134 TO 462162-continued
Material. Seed.

- 462159.** Yang Chou 9-10-8-3. China, Peoples Repub of. Yield high. Annual. Cultivated. Seed.
- 462160.** Zeng Kang Ai No. 6. China, Peoples Repub of. Resistant to rusts and powdery mildew. Annual. Cultivated. Seed.
- 462161.** Zhe Jiang 908. China, Peoples Repub of. Early maturity. Facultative Annual. Cultivated. Seed.
- 462162.** Zhen Jiang 7495. China, Peoples Repub of. Resistant to scab. Annual. Cultivated. Seed.

462163 TO 462205. Cicer arietinum L. (Fabaceae) Chickpea.

From India. International Crops Research Institute for the Semi-Arid Tropics (ICRISAT), Hyderabad-500 016, A.P. Received through J.C. Phillips, California Polytechnic State Univ., San Luis Obispo.
Received April 1981.

- 462163.** 102. P-79. India. Flowers pink. Seeds rust-colored. From 2 to 0% infection by *Fusarium* wilt (*F. oxysporum* f. sp. *ciceri*) and/or *Fusarium* root rot (*F. solani* f. sp. *pisi*). Cultivated. Seed.
- 462164.** 434. P-319. India. Flowers pink. Seeds rust-colored. From 2 to 0% infection by *Fusarium* wilt (*F. oxysporum* f. sp. *ciceri*) and/or *Fusarium* root rot (*F. solani* f. sp. *pisi*). Cultivated. Seed.
- 462165.** 1910. P-1542. Flowers pink. Seeds rust-colored. No infection by *Fusarium* wilt (*F. oxysporum* f. sp. *ciceri*) and/or *Fusarium* root rot (*F. solani* f. sp. *pisi*). Cultivated. Seed.
- 462166.** 1913. P-1546. Flowers pink. Seeds rust-colored. No infection by *Fusarium* wilt (*F. oxysporum* f. sp. *ciceri*) and/or *Fusarium* root rot (*F. solani* f. sp. *pisi*). Cultivated. Seed.
- 462167.** 2461. P-2249. Iran. Flowers pink. Seeds rust-colored. From 2 to 0% infection by *Fusarium* wilt (*F. oxysporum* f. sp. *ciceri*) and/or *Fusarium* root rot (*F. solani* f. sp. *pisi*). Cultivated. Seed.
- 462168.** 6366. NEC-312. Iran. Flowers pink. Seeds rust-colored. No infection by *Fusarium* wilt (*F. oxysporum* f. sp. *ciceri*) and/or *Fusarium* root rot (*F. solani* f. sp. *pisi*). Cultivated. Seed.