

462342 TO 462360-continued

long, white. Cultivated. Seed.

462357. Shounan. Japan. Sheath blades long, thick, white. Cultivated. Seed.

462358. Yakko. Japan. Leaf narrow. Heat tolerant. Cultivated. Seed.

462359. Yatabe. Japan. Tillers three to five. Sheath white. Leaf blade and sheath edible. Cultivated. Seed.

462360. Zairai Negi. Japan. Local type from Fukushima Pref. Sheath tender. Cultivated. Seed.

462361. *Phaseolus vulgaris* L. (Fabaceae) Garden bean.

From Mexico. G. A. White, Germplasm Resources Laboratory, PGGI, USDA Agricultural Research Center, Beltsville, Maryland, USA.

Received November 1981.

Mexico. Collected March 26, 1981. Central market, Texcoco. Pinto bean, contaminant with seed of *Vicia faba*, PI 458504. Cultivated. Seed.

462362. *Setaria sphacelata* (Schum.) Stapf & Hubb. ex M. B. Moss (Poaceae).

From South Africa. A. J. Oakes, USDA, Germplasm Resources Laboratory, Beltsville, MD.

Received October 1981.

2987. South Africa. Cuttings.

462363. *Agrostis keniensis* Pilger (Poaceae).

From Kenya. Department of Botany, University of Nairobi, Nairobi. Received October 1981.

Kenya. Mt. Kenya. Cuttings.

462364. *Festuca* sp. (Poaceae).

From Kenya. Department of Botany, University of Nairobi, Nairobi. Received October 1981.

Kenya. Mt. Kenya. Cuttings.