

28371 to 28531—Continued.

28401 to 28429—Continued.

28411. GLADIOLUS CRUENTUS Moore.

(P. I. G. No. 6524.) *Distribution*.—Known only from Natal on the east coast of South Africa.

28412. GLADIOLUS CRUENTUS $\times$ a selected dark-red seedling.

(P. I. G. No. 6528.)

28413. GLADIOLUS GRANDIS $\times$ ALATUS.

(P. I. G. No. 6198.)

28414. GLADIOLUS GRANDIS $\times$ PRIMULINUS.

(P. I. G. No. 6200.)

28415. GLADIOLUS PAPILIO $\times$ "Precious."

(P. I. G. No. 6529.)

28416. GLADIOLUS PRIMULINUS $\times$ "Goldbug."

(P. I. G. No. 5527.)

28417. GLADIOLUS PRIMULINUS $\times$ GRANDIS.

(P. I. G. No. 6537.)

28418. GLADIOLUS sp. (No. 74) $\times$ PRIMULINUS.

(P. I. G. No. 6384.)

28419. GLADIOLUS PSITTACINUS $\times$ "Very Odd."

(P. I. G. No. 6530.)

28420. GLADIOLUS PURPUREO-AURATUS (*Klondike*) $\times$ CARDINALIS (*Delicatissima*).

(P. I. G. No. 6538.)

28421. GLADIOLUS QUARTINIANUS A. Rich.

(P. I. G. No. 6526.) *Distribution*.—Mountains of tropical Africa from Abyssinia southward to Zambesia, Matabeleland, and Angola, rising to an elevation of 8,000 feet in Kassailand.

28422. GLADIOLUS QUARTINIANUS $\times$ (?).

(P. I. G. No. 6531.)

28423. GLADIOLUS RAMOSUS (*Ne plus ultra*) $\times$ COLVILLII (*Express*).

(P. I. G. No. 6379.)

28424. GLADIOLUS SALMONEUS Baker.

(P. I. G. No. 6525.) *Distribution*.—Occurs at an elevation of 4,800 feet on the mountain slopes in the vicinity of Kokstad, in Griqualand, eastern part of Cape Colony.

28425. GLADIOLUS SALMONEUS $\times$ QUARTINIANUS.

(P. I. G. No. 6204.)

28426. GLADIOLUS TRISTIS $\times$ COLVILLII.

(P. I. G. No. 6377.)

28427. GLADIOLUS TRISTIS $\times$ VITTATUS.

(P. I. G. No. 6451.)

28428. GLADIOLUS VITTATUS $\times$ PRIMULINUS.

(P. I. G. No. 6197.)

28429. GLADIOLUS WATSONIUS $\times$ GRANDIS.

(P. I. G. No. 6202.)