

60675 to 60743—Continued.

60685. HORDEUM VULGARE NIGRUM (Willd.)
Beaven. Six-rowed barley.
No. 3.
60686. HORDEUM VULGARE PALLIDUM Ser-
inge. Six-rowed barley.
No. 5.
60687. HORDEUM VULGARE PALLIDUM Ser-
inge. Six-rowed barley
No. 6.
60688. HORDEUM VULGARE PALLIDUM Ser
inge. Six-rowed barley.
No. 7.
60689. HORDEUM VULGARE DUPLINIGRUM
Koern. Six-rowed barley.
No. 8.
60690. HORDEUM VULGARE COELESTE L.
Six-rowed barley.
No. 8a.
60691. HORDEUM VULGARE COELESTE L.
Six-rowed barley.
No. 9.
60692. HORDEUM DEFICIENS Steud.
Deficient barley.
No. 11.
60693. HORDEUM DISTICHON NUDUM L.
Naked barley.
No. 12.
- 60694 to 60699. HORDEUM spp.
Abyssinia.
60694. HORDEUM DEFICIENS Steud.
Deficient barley.
No. 13.
60695. HORDEUM DEFICIENS STEUDELII
(Koern.) Harlan. Deficient barley.
No. 14.
60696. HORDEUM DEFICIENS Steud.
Deficient barley.
No. 16.
60697. HORDEUM DEFICIENS STEUDELII
(Koern.) Harlan. Deficient barley.
No. 16.
60698. HORDEUM VULGARE PALLIDUM Ser-
inge. Six-rowed barley.
No. 18.
60699. HORDEUM VULGARE NIGRUM (Willd.)
Beaven. Six-rowed barley.
No. 19.
60700. HORDEUM VULGARE COELESTE L.
Six-rowed barley.
Nebawi. (Egyptian.)
60701. HORDEUM DISTICHON PALMELLA Harlan.
Two-rowed barley.
Sinai.
- 60702 to 60743. TRITICUM spp. Poaceæ.
- 60702 and 60703. TRITICUM AESTIVUM L. (*T.*
vulgare Vill.). Common wheat.
60702. *Sinai* No. 4.
60703. *Sinai* No. 5.
- 60704 to 60706. TRITICUM DICOCCUM Schrank.
Emmer.
Abyssinia.
60704. No. 16. 60706 No. 18.
60705. No. 17.
- 60707 to 60712. TRITICUM DURUM Desf.
Durum wheat.

60675 to 60743—Continued.

- 60707 to 60711. *Abyssinia*.
60707. No. 6. 60710. No. 29.
60708. No. 25. 60711. No. 30.
60709. No. 27.
60712. *Gawi*, which is also "Beladi" or native
Egyptian wheat.
- 60713 to 60715. TRITICUM TURGIDUM L.
Foulard wheat.
60713. *Beladi* No. 42.
60714. *Sinai* No. 1.
60715. *Sinai* No. 2.
- 60716 to 60723. TRITICUM DURUM Desf.
Durum wheat.
Abyssinia.
60716. No. 2. 60720. No. 11.
60717. No. 3. 60721. No. 12.
60718. No. 9. 60722. No. 15.
60719. No. 10a. 60723. No. 20.
60724. TRITICUM TURGIDUM L. Foulard wheat.
No. 21.
60725. TRITICUM AESTIVUM L. (*T. vulgare* Vill.).
Common wheat.
No. 26a.
- 60726 and 60727. TRITICUM DURUM Desf.
Durum wheat.
60726. No. 28. 60727. No. 31.
60728. TRITICUM AESTIVUM L. (*T. vulgare* Vill.).
Common wheat.
No. 43.
60729. TRITICUM TURGIDUM L. Foulard wheat.
No. 44.
- 60730 to 60739. TRITICUM DURUM Desf.
Durum wheat.
Beladi.
60730. No. 9. 60735. No. 31.
60731. No. 24b. 60736. No. 33.
60732. No. 25. 60737. No. 33a.
60733. No. 25a. 60738. No. 45.
60734. No. 26.
60739. Fayum A, which is also called "Be-
ladi" or native Egyptian wheat.
60740. TRITICUM sp. Wheat.
Sinai. No. 3.
- 60741 to 60743. TRITICUM DURUM Desf.
Durum wheat.
60741. No. 5. 60743. No. 9.
60742. No. 8.
- 60744 to 60956.
- From Leningrad, Russia. Seeds presented by Dr.
N. I. Vavilov, director of the Bureau of Applied
Botany and Plant Breeding. Received June
19, 1924. Notes by Doctor Vavilov.
- 60744 and 60745. AGROPYRON CRISTATUM (L.)
Gaertn. Poaceæ. Wheat grass.
60744. No. 1733. Province of Moscow. A
broadly spicate variety from the experiment
station of Krasny Kut.
60745. No. 1732. Province of Samara. A
narrowly spicate variety from the experiment
station of Krasny Kut.
- 60746 and 60747. AGROSTIS PALUSTRIS Huds. Po-
aceæ. Redtop.